

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name Centrament Air 220

· Article number: 3626

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Concrete/Mortar admixtures

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard-determining

components of labelling: 2-octyl-2H-isothiazol-3-one

· Hazard statements H317 May cause an allergic skin reaction.

• **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

#### Trade name Centrament Air 220

(Contd. of page 1)

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before

reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information:

Contains biocidal products: 2-octyl-2H-isothiazol-3-one

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:				
CAS: 67-63-0	propan-2-ol	<10%		
EINECS: 200-661-7	Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336			
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0015-<0.0025%		
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg  LD50 dermal: 311 mg/kg  LC50/4 h inhalative: 0.27 mg/l  Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %			

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact The product is not skin irritating.

After eye contact Rinse opened eye for several minutes under running water.

· After swallowing In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

Trade name Centrament Air 220

(Contd. of page 2)

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 10

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

Trade name Centrament Air 220

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

· DNELs

67-63-0 propan-2-ol

Dermal DNEL 888 mg/kg bw/day (ArL)

Inhalative DNEL 500 mg/m³ (ArL)

Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

• Breathing equipment: Not required. • Hand protection Not required.

· Material of gloves

Penetration time of glove

material

· Eye/face protection Safety glasses

Body protection: Impervious protective clothing

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Colourless
 Smell: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 100 °C (7732-18-5 water, distilled, conductivity or

of similar purity)

· Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined.

(Contd. on page 5)



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

#### Trade name Centrament Air 220

(Contd. of page 4)

• Flash point: >75 °C (DIN 51755; L)
• Decomposition temperature: Not determined.

· pH at 20 °C 8.75

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.<100 mPas</li>

Solubility

· Water: Fully miscible

· Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or

Void

Void

of similar purity)

· Density and/or relative density

Density at 20 °C 1 g/cm<sup>3</sup>

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Change in condition

· Oxidising solids

· Organic peroxides

· Corrosive to metals

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void · Aerosols Void Void · Oxidising gases · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void

Void





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

Trade name Centrament Air 220

(Contd. of page 5)

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

Inhalative LC50/4 h 0.27 mg/l (ATE)

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:					
67-63-0 propan-2-ol					
Oral	LD50	5840 mg/kg (rat)			
	NOAEL	400 mg/kg (Workers)			
Dermal	LD50	13400 mg/kg (rabbit)			
Inhalative	LC50/4 h	30 mg/l (rat)			
26530-20-1 2-octyl-2H-isothiazol-3-one					
Oral LD50		125 mg/kg (ATE)			
		500 mg/kg (rat)			
Dermal	LD50	311 mg/kg (ATE)			
		>2000 mg/kg (rat)			

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

0.6 mg/l (rat)

\*\*Germ cell mutagenicity Based on available data, the classification criteria are not met.

\*\*Carcinogenicity Based on available data, the classification criteria are not met.

\*\*Reproductive toxicity Based on available data, the classification criteria are not met.

\*\*STOT-single exposure Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023 Version number 31 (replaces version 30) Revision: 18.08.2023

#### Trade name Centrament Air 220

(Contd. of page 6)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

#### · Aquatic toxicity:

#### 67-63-0 propan-2-ol

LC50/24h 9714 mg/l (Daphnia magna)

EC50/72h >100 mg/l (Scenedesmus subspicatus)

LOEC/8d | 1000 mg/l (algae)

LC50/96h 9640 mg/l (Pimephales promelas)

EC50 >100 mg/l (Bak)

### 26530-20-1 2-octyl-2H-isothiazol-3-one

EC50/48h 0.42 mg/l (Daphnien)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

GB



Page 8/9

### Safety data sheet according to 1907/2006/EC, Article 31

Version number 31 (replaces version 30) Revision: 18.08.2023 Printing date 18.08.2023

Trade name Centrament Air 220

(Contd. of page 7)

444 UN manahan an ID manahan	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	y to Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU · Named dangerous substances - ANNEX I

· 15.2 Chemical safety

None of the ingredients is listed.

A Chemical Safety Assessment has not been carried out. assessment:

### **SECTION 16: Other information**

· Relevant phrases	H225 H301 H311 H314 H317 H318 H319 H330 H336 H400	Highly flammable liquid and vapour. Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. May cause drowsiness or dizziness. Very toxic to aguatic life.
	11400	(Contd. on page 9)



Page 9/9

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 31 (replaces version 30)

(Contd. of page 8)

Revision: 18.08.2023

Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing data

Trade name Centrament Air 220

specification sheet:

Environment protection department.

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

\* \* Data compared to the previous version altered.

GB