

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Centripor SK 120
 Article number: 1.2 Relevant identified uses of the substance or mixture and uses advised against 	997 No further relevant information available.
· Application of the substance	
/ the mixture	Concrete/Mortar admixtures
• 1.3 Details of the supplier of • Manufacturer/Supplier:	the safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	ntification
	u to aquatic life with long lasting effects.
221 abol olomonto	· · · · · · · · · · · · · · · · · · ·

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms

GHS05

Danger

· Signal word

(Contd. on page 2)

- GB



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024 Version number 24 (replaces version 23) Revision: 24.02.2024 Trade name Centripor SK 120 (Contd. of page 1) · Hazard-determining components of labelling: Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. · Precautionary statements P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P362+P364 Take off contaminated clothing and wash it before reuse. · Additional information: EUH208 Contains reaction mass of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. Contains biocidal products: reaction mass of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

(Contd. on page 3)

- GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Trade name Centripor SK 120

		(Contd. of page 2)
 Dangerous components: 		
CAS: 68439-57-6 EINECS: 270-407-8 Reg.nr.: 01-2119513401-0001	Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2;H315: $C \ge 5$ % Eye Dam. 1; H318: $C \ge 38$ % Eye Irrit. 2; H319: 5 % $\le C < 38$ %	10-30%
CAS: 68891-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1;H318: $C \ge 10$ % Eye Irrit. 2; H319: 5 % $\le C < 10$ %	<i>≥</i> 10-<25%
CAS: 308062-28-4 Reg.nr.: 01-2119490061-47	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥3-<10%
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239- 6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%
· Additional information	For the wording of the listed hazard phrases	refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first a	id measures	
• After inhalation	Supply fresh air.	
 After skin contact 	Instantly rinse with water.	
· After eye contact	Rinse opened eye for several minutes under running water Call a doctor immediately.	r.
• After swallowing	Rinse out mouth and then drink plenty of water.	on

(Contd. on page 4)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Page 4/11

Trade name Centripor SK 120

	(Contd. of page Seek medical treatment.
SECTION 5: Firefighting	measures
5.2 Special hazards arising	s Use fire fighting measures that suit the environment.
from the substance or mixture	No further relevant information available.
5.3 Advice for firefighters Protective equipment:	No special measures required.
SECTION 6: Accidental r	ralaasa maasuras
6.1 Personal precautions,	
protective equipment and emergency procedures	Not required.
6.2 Environmental	Not required.
precautions:	Prevent material from reaching sewage system, holes and cellars Dilute with much water.
6.3 Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binder universal binders, sawdust).
6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.
SECTION 7: Handling an	a storage
7.1 Precautions for safe	
handling	Ensure good ventilation/exhaustion at the workplace.
Information about protection against explosions and fires:	No special measures required.
7.2 Conditions for safe storag	e, including any incompatibilities
Storage Requirements to be met by	
storerooms and containers:	No special requirements.

storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Storage class 12

(Contd. on page 5)

GB



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

(Contd. of page 4)

Trade name Centripor SK 120

• 8.1 Conti	rol parame	oosure controls/personal protection ters
Compon	ents with c	
	nat require	
	ng at the w	vorkplace: The product does not contain any relevant quantities of mate with critical values that have to be monitored at the workplace.
DNELs		
CAS: 684	139-57-6 Si	Ilphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salt
Oral	DNEL 12	2.95 mg/kg bw/Tag (ArL)
Dermal	DNEL 21	58.33 mg/kg bw/day (ArL)
Inhalative	DNEL 15	i2.22 mg/m ³ (ArL)
	391-38-3 AI	cohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphated
Oral	DNEL 15	i mg/kg bw/Tag (ArL)
Dermal	DNEL 27	'50 mg/kg bw/day (ArL)
Inhalative	DNEL 17	'5 mg/m ³ (ArL)
	al informat	
Breathin	g equipme	performed at confined area with adequate mechanical ventila meeting local authority requirements, use breathing f apparatus. In case of intensive or longer exposure use breat
Breathin Hand pro		Wash hands during breaks and at the end of the work.Avoid contact with the eyes and skin.nt:In case of brief exposure or low pollution or when applicationperformed at confined area with adequate mechanical ventilemeeting local authority requirements, use breathing fapparatus. In case of intensive or longer exposure use breatapparatus that is independent of circulating air.Protective gloves.Selection of the glove material on consideration of the penetratimes, rates of diffusion and the degradation
	otection	 Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. <i>nt</i>: In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventilal meeting local authority requirements, use breathing f apparatus. In case of intensive or longer exposure use breat apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetrat times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmet Nitrile rubber, NBR Butyl rubber, BR The selection of the suitable gloves does not only depend on material, but also on further marks of quality and varies f manufacturer to manufacturer. As the product is a preparatio several substances, the resistance of the glove material can no calculated in advance and has therefore to be checked prior to
Hand pro	otection	 Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. <i>nt</i>: In case of brief exposure or low pollution or when application performed at confined area with adequate mechanical ventiled meeting local authority requirements, use breathing f apparatus. In case of intensive or longer exposure use breat apparatus that is independent of circulating air. Protective gloves. Selection of the glove material on consideration of the penetrat times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmet Nitrile rubber, NBR Butyl rubber, BR The selection of the suitable gloves does not only depend on material, but also on further marks of quality and varies f manufacturer to manufacturer. As the product is a preparatio several substances, the resistance of the glove material can no calculated in advance and has therefore to be checked prior to application.



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

(Contd. of page 5)

Page 6/11

Trade name Centripor SK 120

 Eye/face protection Body protection: 	Not required. Protective work clothing.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties · General Information · Colour: Yellow · Smell: Weak, characteristic · Melting point/freezing point: Not determined Not applicable · Boiling point or initial boiling point and boiling range 100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity) · Flash point: Not applicable · pH Not determined. · Viscosity: · Kinematic viscosity Not determined. · dynamic: Not determined. · Solubility · Water: Fully miscible Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity) · Density and/or relative density · Density at 20 °C 1.02 g/cm3 · 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties: · Information with regard to physical hazard classes Void Explosives Void · Flammable gases · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

(Contd. on page 7)

- GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Page 7/11

Trade name Centripor SK 120

		(Contd. of page
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
 Thermal decomposition / 	
conditions to be avoided:	No decomposition if used according to specifications.
• 10.3 Possibility of hazardous	
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 	No further relevant information available.
[.] 10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	<i>Ilphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts</i> >2000 mg/kg (rat)
Dermal	LD50	6300 mg/kg (rabbit)
		52 mg/l (rat)
CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates sodium salts Translate		
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
CAS: 308	062-28-4 A	Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid
Oral	LD50	3432 mg/kg (rat)
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
Oral	LD50	49.6-75 mg/kg (rat)
orar		
Dermal	LD50	87.12 mg/kg (rabbit)

(Contd. on page

⁻ GB



Page 8/11

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Trade name Centripor SK 120

	(Contd. of page 7)	
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
· Carcinogenicity	Based on available data, the classification criteria are not met.	
· Reproductive toxicity	Based on available data, the classification criteria are not met.	
STOT-single exposure	Based on available data, the classification criteria are not met.	
STOT-repeated exposure	Based on available data, the classification criteria are not met.	
• Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2 Information on other hazards		
· Endocrine disrupting properties		

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	Aquatic toxicity:		
CAS: 6843	9-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts		
IC50/72h	230 mg/l (BEL)		
LC50/96h	4.2 mg/l (Danio rerio)		
	1-10 mg/l (Brachydanio rerio)		
EC50/48h	4.5 mg/l (Ceriodaphnia dubia)		
NOEC	3.2 mg/l (Ske)		
	6.7 mg/l (Daphnia magna)		
ErC50/72h	5.2 mg/l (Ske)		
CAS: 6889	1-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates,		
	sodium salts Translate		
LC50/96h	7.1 mg/l (Brachydanio rerio)		
EC50/48h	7.2 mg/l (Daphnia magna)		
NOEC	0.95 mg/l (Scenedesmus subspicatus)		
	27.7 mg/l (Scenedesmus subspicatus)		
CAS: 5596	5-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
LC50/24h	0.19 mg/l (fish)		
EC50/72h	0.027 mg/l (Pseudokirchneriella subcapitata)		
LC50/96h	0.19 mg/l (Oncorhynchus mykiss)		
LC50/48h	0.28 mg/l (fish)		
EC50/48h	0.16 mg/l (Daphnia magna)		
NOEC	0.02 mg/l (Oncorhynchus mykiss)		
	0.00049 mg/l (Ske)		
	0.1 mg/l (Daphnia magna)		
· 12.2 Persis			
degradabil	•		
· 12.3 Bioac	cumulative No further relevant information available.		
potential	(Contd. on page 9)		



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Trade name Centripor SK 120

[.] 12.4 Mobility in soil	No further relevant information available.
· 12.5 Results of PBT and	vPvB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
· 12.6 Endocrine disruptir	
properties	The product does not contain substances with endocrine disrupt properties.
· 12.7 Other adverse effect	ts
· Additional ecological in	formation:
General notes:	Danger to drinking water if even extremely small quantities le into soil.

SECTION 13: Disposal considerations

 13.1 Waste treatment metho Recommendation 	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

SECTION 14: Transport information

-		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.	
		(Contd. on page 10

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Void

Revision: 24.02.2024

(Contd. of page 9)

Trade name Centripor SK 120

· UN "Model Regulation":

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precur	sors
None of the ingredients is listed	1.
Regulated poisons	
None of the ingredients is listed	1.
Reportable explosives precu	rsors
None of the ingredients is listed	1.
Reportable poisons	
None of the ingredients is listed	1

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H301	Toxic if swallowed.	
	H302	Harmful if swallowed.	
	H310	Fatal in contact with skin.	
	H314	Causes severe skin burns and eye damage.	
	H315	Causes skin irritation.	
	H317	May cause an allergic skin reaction.	
	H318	Causes serious eye damage.	
	H319	Causes serious eye irritation.	
	H330	Fatal if inhaled.	
	H400	Very toxic to aquatic life.	
	H410	Very toxic to aquatic life with long lasting effects.	
	H411	Toxic to aquatic life with long lasting effects.	
	H412	Harmful to aquatic life with long lasting effects.	
	EUH071	Corrosive to the respiratory tract.	
· Department issuing data			
specification sheet:	Environr	ment protection department.	
• Abbreviations and acronyms	dangereu	lement international concernant le transport des ma ses par chemin de fer (Regulations Concerning the In of Dangerous Goods by Rail)	
	i i allopoit	5	on page 11)

Page 10/11



et

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 24 (replaces version 23)

Revision: 24.02.2024

Page 11/11

Trade name Centripor SK 120

	(Contd. of page 1
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses p route (European Agreement Concerning the International Carriage of Dangerou Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 4: Acute toxicity – Category 4
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1C: Skin corrosion/irritation – Category 1C
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquat hazard – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquat hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquat hazard – Category 3
• * Data compared to the	
previous version altered.	
providuo renordin untereu.	