

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name 1.2 Relevant identified uses of the substance or mixture	
and uses advised against Application of the substanc	No further relevant information available.
/ the mixture	Ready-mixed mortar dry mortar
1.3 Details of the supplier of Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8
	D-46238 Bottrop Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10 CH-8953 Dietikon
	Tel.: +44-7400510 Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards id	entification
2.1 Classification of the sub	lentification stance or mixture
2.1 Classification of the sub	entification stance or mixture Regulation (EC) No 1272/2008
2.1 Classification of the sub Classification according to	entification stance or mixture Regulation (EC) No 1272/2008 in irritation.
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se 2.2 Label elements Labelling according to	Centification stance or mixture Regulation (EC) No 1272/2008 in irritation. rious eye damage. 08 The product is classified and labelled according to the GB C
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se 2.2 Label elements Labelling according to Regulation (EC) No 1272/200	entification stance or mixture Regulation (EC) No 1272/2008 in irritation. rious eye damage.
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se 2.2 Label elements Labelling according to	Centification stance or mixture Regulation (EC) No 1272/2008 in irritation. rious eye damage. 08 The product is classified and labelled according to the GB C
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se 2.2 Label elements Labelling according to Regulation (EC) No 1272/200	Centification stance or mixture Regulation (EC) No 1272/2008 in irritation. rious eye damage. 08 The product is classified and labelled according to the GB C
2.1 Classification of the sub Classification according to Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes se 2.2 Label elements Labelling according to Regulation (EC) No 1272/200	Ventification Stance or mixture Regulation (EC) No 1272/2008 <i>in irritation.</i> <i>rious eye damage.</i> 08 The product is classified and labelled according to the GB C regulation.
2.1 Classification of the sub Classification according to I Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulation (EC) No 1272/200 Hazard pictograms Signal word Hazard-determining	entification estance or mixture Regulation (EC) No 1272/2008 <i>in irritation.</i> <i>rious eye damage.</i> 08 The product is classified and labelled according to the GB C regulation. OB GHS05 Danger
2.1 Classification of the sub Classification according to I Skin Irrit. 2 H315 Causes ski Eye Dam. 1 H318 Causes ser 2.2 Label elements Labelling according to Regulation (EC) No 1272/200 Hazard pictograms	entification estance or mixture Regulation (EC) No 1272/2008 <i>in irritation.</i> <i>rious eye damage.</i> 08 The product is classified and labelled according to the GB C <i>regulation.</i> GHS05



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Trade name EXZELLENT STP historic

		(Contd. of page 1)
 Hazard statements 	H315 Causes ski	in irritation.
	H318 Causes se	rious eye damage.
· Precautionary statements	P280	Wear protective gloves / eye protection / face protection.
	P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P332+P313	If skin irritation occurs: Get medical advice/ attention.
[.] 2.3 Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

· Dangerous compor	nents:	
CAS: 1317-65-3	Calcium carbonate substance with a Community workplace exposure limit	50-70%
CAS: 1305-62-0 EINECS: 215-137-3	calcium dihydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%
	roman cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information No special measures required.

Void

- · After inhalation
- · After skin contact
- · After eye contact
- · After swallowing
- The product is not skin irritating. Rinse opened eye for several minutes under running water. Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Void

(Contd. on page 3)

GB



Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

(Contd. of page 2)

Page 3/9

Trade name EXZELLENT STP historic

 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures
 6.2 Environmental

precautions:

Not required.

No special measures required.

 6.3 Methods and material for containment and cleaning up: Collect mechanically.
 6.4 Reference to other sections
 No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling
 Prevent formation of dust.
 Information about protection against explosions and fires: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage

 Requirements to be met by storerooms and containers: No special requirements.
 Information about storage in one common storage facility: Not required.
 Further information about storage conditions: None.

• Storage class 13

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

WEL Long-term value: 10* 4** mg/m³ *inhalable dust; **respirable

CAS: 1305-62-0 calcium dihydroxide

WEL Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³

*resprable fraction

(Contd. on page 4)

GB



Page 4/9

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Trade name EXZELLENT STP historic

	(Contd. of page
DNELs	
CAS: 1317-65-3 Calcium cal	
Oral DNEL 6.1 mg/kg k	
Inhalative DNEL 10 mg/m ³ (·
CAS: 1305-62-0 calcium dih	-
Inhalative DNEL 1 mg/m ³ (A	.rL)
PNECs	
CAS: 1317-65-3 Calcium ca	
PNEC 100 mg/l (Sewage Tre	,
CAS: 1305-62-0 calcium dih	iydroxide
PNEC 3 mg/l (BEL)	
0.32 mg/l (Mew)	
0.49 mg/l (Freshwater	r)
PNEC 1080 mg/kg dwt (Bod))
Additional information:	The lists that were valid during the compilation were used as bas
Breathing equipment:	 Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the respirator in question. Particle filter PP1: Inert substance; P2, P3: Hazardous substance Provide adequate ventilation. This can be achieved by loce exhaust ventilation or general exhaust ventilation.
Hand protoction	(EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below t occupational exposure limit, provide respiratory protection. Protective gloves.
Hand protection	Selection of the glove material on consideration of the penetrati times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetic.



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Trade name EXZELLENT STP historic

· Penetration time of glove material

(Contd. of page 4)

GB

· Eye/face protection

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed. Tightly sealed safety glasses.

- · Body protection:
- Protective work clothing.

SECTION 9: Physical and chemical	properties
· 9.1 Information on basic physical and cher	mical properties
· General Information	
· Colour:	According to product specification
· Smell:	neutral
• Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and	
boiling range	Not applicable
5 5	Not determined
· Flammability	Product is not inflammable.
· Flash point:	Not applicable
· pH at 20 °C	11.4
Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.
· Solubility	
· Water:	Partly soluble
· Steam pressure:	Not applicable.
Density and/or relative density	
· Density	Not determined
9.2 Other information	
· Appearance:	
· Form:	Powder
· Important information on protection of hea	
and environment, and on safety.	
· Explosive properties:	Product is not explosive.
· · ·	· ·
· Information with regard to physical haza	ard
classes Explosives	Void
· Explosives	Void
· Flammable gases · Aerosols	Void Void
· Oxidising gases	Void
· Gases under pressure	Void Void
· Flammable liquids	Void Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
ryiopiionic sonas	volu



Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Trade name EXZELLENT STP historic

		(Contd. of page 5
· Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.

· Acute toxicity

· LD/LC5	0 valu	es that are relev	ant for classification:
CAS: 13	317-65	-3 Calcium carb	onate
Oral	LD50	>2000 mg/kg (ra	t)
Dermal	LD50	>2000 mg/kg (ra	nt)
CAS: 13	305-62	-0 calcium dihyo	droxide
Oral	LD50	7340 mg/kg (rat)	
[.] Skin co	rrosio	n/irritation	Causes skin irritation.
· Serious	; eye d	lamage/irritation	Causes serious eye damage.
Germ c	ell mu	tagenicity	Based on available data, the classification criteria are not met.
· Carcino	genic	ity	Based on available data, the classification criteria are not met.
Reprod	uctive	toxicity	Based on available data, the classification criteria are not met.
STOT-s	ingle e	exposure	Based on available data, the classification criteria are not met.
STOT-r	epeate	ed exposure	Based on available data, the classification criteria are not met.
· Aspirat			Based on available data, the classification criteria are not met. (Contd. on pag

Page 6/9



Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

(Contd. of page 6)

Page 7/9

Trade name EXZELLENT STP historic

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecol	logical information
	ogiour milormation

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 1317-65-3 Calcium carbonate

EC50/72h >14 mg/l (Desmodesmus subspicatus)

LC50/96h >10000 mg/l (Oncorhynchus mykiss)

LC50/48h >1000 mg/l (Daphnia magna)

EC50/48h >1000 mg/l (Daphnia magna)

• • •	
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
 12.4 Mobility in soil 	No further relevant information available.
 12.5 Results of PBT and vP 	vB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
• 12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting
	properties.
· 12.7 Other adverse effects	
· Additional ecological inform	nation:
· General notes:	Not known to be hazardous to water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

 13.1 Waste treatment method Recommendation 	Is Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Packaging can be reused or recycled after cleaning.

SECTION 14: Transport information

• 14.1 UN number or ID number • ADR, ADN, IMDG, IATA

Void

(Contd. on page 8)



Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Page 8/9

Trade name EXZELLENT STP historic

		(Contd. of page 7
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precur	sors
None of the ingredients is listed	
· Reportable poisons	
None of the ingredients is listed	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.

(Contd. on page 9)

GB



Printing date 09.02.2024

Version number 31 (replaces version 30)

Revision: 09.02.2024

Page 9/9

Trade name EXZELLENT STP historic

- <i>· · · · · · · · · ·</i>	
 Department issuing data 	
specification sheet:	Environment protection department.
 Abbreviations and acronyms: Abbreviations and acronyms: * Data compared to the previous version altered. 	RID: Règlement international concernant le transport des marchand, dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3