

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name intaktin 72

758 · Article number:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Coating

Machine care produkt

· 1.3 Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG Manufacturer/Supplier:

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS07 GHS08

· Signal word Danger

(Contd. on page 2)





Safety data sheet according to 1907/2006/EC, Article 31

Revision: 18.02.2024 Printing date 18.02.2024 Version number 25 (replaces version 24)

Trade name intaktin 72

(Contd. of page 1)

Hazard-determining

components of labelling: Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic

compounds, aromatics (2-30%)

ethoxylierter Fettalkohol White mineral oil, petroleum

Reaction mass of 1H-benzotriazole-1-methanamine, N.N-bis(2ethylhexyl)-6-methyl- and 2H-benzotriazole-2-methanamine, N,Nbis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1Hbenzotriazole-1-methylamine and 2H-benzotriazole-2methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-

ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine

H317 May cause an allergic skin reaction. · Hazard statements

H304 May be fatal if swallowed and enters airways.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. · Precautionary statements

> P280 Wear protective gloves.

P301+P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P362+P364 Take off contaminated clothing and wash it before

reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Mixture consisting of the following components. · Description:

Mineraloil, emulsifiers

· Dangerous components:		
EC number: 920-360-0	Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic compounds, aromatics (2-30%)	30-60%
	Asp. Tox. 1, H304	
CAS: 8042-47-5	White mineral oil, petroleum	30-60%
EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	Asp. Tox. 1, H304	
CAS: 68920-66-1	ethoxylierter Fettalkohol	≥1-<1.5%
	Skin Irrit. 2, H315; Skin Sens. 1B, H317	
CAS: 39464-69-2	Poy(oxy)-1,2-ethanediyl),alpha-9-octadecenyl- omega-hydroxy(Z), phsophate	≥0.25-<1%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
		(Contd. on page



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

		(Contd. of page 2)
CAS: 128-37-0	2,6-Di-tert-butyl-p-cresol	≥0.025-<0.25%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
EC number: 939-700-4	Reaction mass of 1H-benzotriazole-1-methanamine, N, N-bis(2-ethylhexyl)-6-methyl- and 2H-benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-5-methyl- and N,N-bis(2-ethylhexyl)-4-methyl-1H-benzotriazole-1-methylamine and 2H-benzotriazole-2-methanamine, N,N-bis(2-ethylhexyl)-4-methyl- and N,N-bis(2-ethylhexyl)-5-methyl-1H-benzotriazole-1-methylamine	≥0.1-<0.25%
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
· Additional information	For the wording of the listed hazard phrases refer	to section 16

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information Immediately remove any clothing contaminated with the product.

· After inhalation Supply fresh air.

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.
 After swallowing Do not induce vomiting; instantly call for medical help.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

6.2 Environmental

precautions: Dilute with much water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

(Contd. on page 4)



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 3)

· 6.4 Reference to other

sections No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special measures required.

Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: No special requirements.

Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.
Storage class 10

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

WEL Long-term value: 10 mg/m³

· DNELs

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

Dermal DNEL 8.3 mg/kg bw/day (ArL)

Inhalative DNEL 5.8 mg/m³ (ArL)

· PNECs

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

PNEC aqua | 0.4 µg/l (Mew)

4 μg/l (Freshwater)

PNEC 100 mg/l (Sewage Treatment Plant)

PNEC 1.04 mg/kg dwt (Bod)

1.29 mg/kg dwt (Sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 4)

Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

• Breathing equipment: Only during spraying without adequate removal by suction.

Short term filter device:

Hand protection Not required.Material of gloves Nitrile rubber, NBR

Penetration time of glove

material

· Eye/face protection Not required.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Light yellow
 Smell: Product specific
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range Not determined

· Flash point: 141 °C

· **pH** Not determined.

· Viscosity:

· Kinematic viscosity at 20 °C 15 s (DIN 53211/4) dynamic: Not determined.

· Solubility

Water: Emulsifiable

• Steam pressure at 20 °C: 0 hPa (CAS: 64742-55-8 Distillates (petroleum),

hydrotreated light paraffinic)

· Density and/or relative density

· Density at 20 °C 0.85 g/cm³

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void
· Flammable gases Void
· Aerosols Void
· Oxidising gases Void

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 5)

		ν -	1 5
Gases under pressure	Void		
· Flammable liquids	Void		
Flammable solids	Void		
· Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
· Substances and mixtures, which emit			
flammable gases in contact with water	Void		
· Oxidising liquids	Void		
Oxidising solids	Void		
· Organic peroxides	Void		
Corrosive to metals	Void		
· Desensitised explosives	Void		

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions

No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

Hydrocarbons C14-C18, n-alkanes, iso-alkanes, cyclic compounds, aromatics (2-30%)

 Oral
 LD50
 >4150 mg/kg (rat)

 Dermal
 LD50
 >2000 mg/kg (rat)

Inhalative LC50/4 h >5.28 mg/l (rat) (Staub/Nebel)

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

	•	• •
Oral	LD50	>2930 mg/kg (rat)
	NOAEL	100 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
		>2000 mg/kg (rat)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 6)

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

• **Aspiration hazard** May be fatal if swallowed and enters airways.

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 | 2,6-Di-tert-butyl-p-cresol | List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

EC50/72h 0.5 mg/l (Desmodesmus subspicatus)

EC50 >10000 mg/l (BEL)

LC50/48h | 0.61 mg/l (Daphnia magna) NOEC | 0.07 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

(Contd. on page 8)



Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 7)

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

· Poisons Act

· Regulated explosives precursors

CAS: 7664-38-2 phosphoric acid 30%

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.02.2024 Version number 25 (replaces version 24) Revision: 18.02.2024

Trade name intaktin 72

(Contd. of page 8)

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Relevant phrases H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Department issuing data

specification sheet: Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

* Data compared to the previous version altered.