

Page 1/13

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	<u>Konudur Robopox 10 - Komponente B</u>
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance / the mixture</li> </ul>	2794 No further relevant information available. Epoxy sealing Hardening agent/ Curing agent
• 1.3 Details of the supplier of • Manufacturer/Supplier:	<i>the safety data sheet</i> <i>MC-Bauchemie Müller GmbH &amp; Co. KG</i> <i>Am Kruppwald 1-8</i> <i>D-46238 Bottrop</i> <i>Tel.: +49(0)2041-101-0</i> <i>Fax.: +49(0)2041-101-400</i> <i>E-Mail: info@mc-bauchemie.de</i> <i>MC-Bauchemie AG</i> <i>Hagackerstr. 10</i> <i>CH-8953 Dietikon</i> <i>Tel.: +44-7400510</i> <i>Fax : +44-7400533</i>
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- Eye Dam. 1 H318 Causes serious eye damage.
- Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

### <sup>.</sup> 2.2 Label elements

• Labelling according to Permutation (EC) No 1272/2008 The product is classified and labelled a

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



(Contd. on page 2)

GB



Page 2/13

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

### Trade name Konudur Robopox 10 - Komponente B

Signal word	Danger	(Contd. of page 1)
•	Bangor	
Hazard-determining		
components of labelling:	polymer amine te	
	1,3-Cyclohexane	
	Polyoxypropylen	
	Tetraethylenepe	
		9-unsaturated, polymerised
		enyl-Ethyl) carbolic acid
	m-phenylenebis(	
Hazard statements		vere skin burns and eye damage.
		e an allergic skin reaction.
	H412 Harmful to	aquatic life with long lasting effects.
Precautionary statements	P260	Do not breathe dusts or mists.
	P303+P361+P35	53 IF ON SKIN (or hair): Take off immediately all
		contaminated clothing. Rinse skin with water [or
		shower].
	P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	
vPvB:	Not applicable.	

### **SECTION 3: Composition/information on ingredients**

Description:	Mixture consisting of the following components.	
Dangerous components:		
CAS: 1317-65-3	Calcium carbonate substance with a Community workplace exposure limit	50-70%
EC number: 949-140-2	polymer amine terminated Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317	10-30%
CAS: 61788-44-1 EINECS: 262-975-0	2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	<i>≥</i> 2.5-<5%
CAS: 2579-20-6 EINECS: 219-941-5 Reg.nr.: 01-2119543741-41- xxxx	1,3-Cyclohexanedimethanamine Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<i>≥</i> 2.5-<5%



Page 3/13

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

#### Trade name Konudur Robopox 10 - Komponente B

		(Co	ntd. of page 2)
CAS: 904	46-10-0	Polyoxypropylenediamine	<i>≥</i> 2.5-<5%
Reg.nr.:	01-2119557899-12	Skin Corr. 1B, H314; Aquatic Chronic 3, H412	
CAS: 713	302-83-5	Hydrocarbons, C9-unsaturated, polymerised	<i>≥</i> 2.5-<3%
EC numb	ber: 701-299-7	Asp. Tox. 1, H304; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	
CAS: 100	0-51-6	Benzyl alcohol	<3%
		Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 906	640-66-7	Tetraethylenepentamine	<i>≥</i> 1-<1.5%
	<sup>.</sup> 292-587-7 01-2119487290-37	Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	
CAS: 147	77-55-0	m-phenylenebis(methylamine)	≥1-<1.5%
	<sup>.</sup> 216-032-5 01-2119480150-50	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 69-	-72-7	salicylic acid	<0.5%
EINECS:	200-712-3	Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	
Addition	al information	For the wording of the listed hazard phrases refer to see	ction 16.

### SECTION 4: First aid measures

<sup>.</sup> General information	Remove contaminated clothing immediately. Consult a doctor if symptoms occur. Move affected person to fresh air.
· After inhalation	Supply fresh air; seek medical advice if symptoms occur. If unconscious, place in recovery position and seek medical advice.
· After skin contact	In case of contact with skin, wash carefully with plenty of soap and water. Consult a doctor in case of skin reactions.
· After eye contact	Rinse opened eye for several minutes under running water. Call a doctor immediately
· After swallowing	Rinse mouth with water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If symptoms persist, consult a doctor.
• 4.2 Most important symptonic and effects, both acute at	toms

and effects, both acute and delayed

Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.

## **SECTION 5: Firefighting measures**

• 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or
- mixture

No further relevant information available.

(Contd. on page 4)

<sup>-</sup> GB



Page 4/13

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

(Contd. of page 3)

GB

#### Trade name Konudur Robopox 10 - Komponente B

5.3 Advice for firefighters
 Protective equipment:

No special measures required.

#### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
emergency procedures 6.2 Environmental	Wear protective equipment. Keep unprotected persons away.
precautions:	No special measures required.
• 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
	Lisure adequate ventilation.
<sup>•</sup> 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	Open and handle containers with care. Only use in well-ventilated areas (e.g. open construction, outdoor areas), in rooms without air exchange (e.g. closed rooms, underground car parks) ventilation measures are required. are required. Wear suitable personal protective equipment (see section 8). Avoid
	contact with eyes, skin and clothing. Change contaminated or damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy resins. Open and handle containers with care.
Information about protection against explosions and fires:	Ensure sufficient air exchange and/or extraction in the working areas. Take precautionary measures to avoid electrostatic discharges.
•	e, including any incompatibilities
Storage Requirements to be met by storerooms and containers: Further information about	No special requirements.
storage conditions:	None. (Contd. on page 5)
	(Contai on page o)



Page 5/13

# Safety data sheet

Version number 31 (replaces version 30)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

8A

Revision: 15.03.2024

(Contd. of page 4)

#### Trade name Konudur Robopox 10 - Komponente B

Storage class

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Components with critical values that require monitoring at the workplace: CAS: 1317-65-3 Calcium carbonate WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust; \*\*respirable · DNELs CAS: 1317-65-3 Calcium carbonate DNEL 6.1 mg/kg bw/Tag (ArL) Oral Inhalative DNEL 10 mg/m<sup>3</sup> (ArL) CAS: 2579-20-6 1,3-Cyclohexanedimethanamine Inhalative DNEL 0.00947 mg/m<sup>3</sup> (Workers) CAS: 9046-10-0 Polyoxypropylenediamine Oral DNEL 0.04 mg/kg bw/Tag (ArL) Dermal DNEL 2.5 mg/kg bw/day (ArL) CAS: 100-51-6 Benzyl alcohol Oral DNEL 4 mg/kg bw/Tag (ArL) 20 mg/kg bw/Tag (Ark) Dermal DNEL 8 mg/kg bw/day (ArL) 40 mg/kg bw/day (Ark) Inhalative DNEL 22 mg/m<sup>3</sup> (ArL) 110 mg/m<sup>3</sup> (Ark) CAS: 1477-55-0 m-phenylenebis(methylamine) DNEL 0.33 mg/kg bw/day (Workers) Dermal Inhalative DNEL 1.2 mg/m<sup>3</sup> (Workers) · PNECs CAS: 1317-65-3 Calcium carbonate PNEC 100 mg/l (Sewage Treatment Plant) CAS: 2579-20-6 1,3-Cyclohexanedimethanamine PNEC 0.003 mg/l (Mew) PNEC 0.033 mg/l (Fresh water) CAS: 9046-10-0 Polyoxypropylenediamine PNEC 7.5 mg/l (Sewage Treatment Plant) 0.015 mg/l (Fresh water) PNEC 0.0176 mg/kg dwt (Bod) 0.125 mg/kg dwt (Sediment) (Contd. on page 6) GR



Page 6/13

GB

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

### Trade name Konudur Robopox 10 - Komponente B

	0 120 mailin dut (Fra	(Contd. of page :
	0.132 mg/kg dwt (Fre	
	00-51-6 Benzyl alcol	
PNEC 0.527 mg/l (Marine wa		ater sediment)
	0.1 mg/l (Mew)	
	1 mg/l (Fresh water s	•
PNEC	0.456 mg/kg dwt (Boo	,
	5.27 mg/kg dwt (Fres	,
	477-55-0 m-phenyle	nebis(methylamine)
PNEC	10 mg/l (Kla)	
	0.009 mg/l (Mew)	
	0.094 mg/l (Freshwat	ter)
PNEC	0.045 mg/kg dwt (Boo	d)
	0.43 mg/kg dwt (Mari	ine water sediment)
	0.43 mg/kg dwt (Fres	
· Additic	onal information:	The lists that were valid during the compilation were used as basi
hygien	al protective and ic measures ing equipment:	Keep away from food, drink and animal feed. Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with eyes and skin. If workplace limit values cannot be complied with by ventilation measures or if rooms cannot be technically ventilated, respirated protection must be worn: Use combination filter A1-P2 (brow
		white) in rooms that cannot be ventilated. If oxygen deficiency expected, use self-contained breathing apparatus. Observ
· Hand p	protection	white) in rooms that cannot be ventilated. If oxygen deficiency expected, use self-contained breathing apparatus. Observ wearing time limits according to §9 (3) GefStoffV in conjunction with BGR 190. Selection of the glove material on consideration of the penetration
-	protection al of gloves	white) in rooms that cannot be ventilated. If oxygen deficiency expected, use self-contained breathing apparatus. Observ wearing time limits according to §9 (3) GefStoffV in conjunction



Page 7/13

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

### Trade name Konudur Robopox 10 - Komponente B

Depetration time of aloue	(Contd. of page 6)
<ul> <li>Penetration time of glove material</li> </ul>	The breakthrough times of the Sol-vex 37-900 protective gloves are around 8 hours. The following applies to all other gloves: The exact breakthrough time must be obtained from the protective glove manufacturer and adhered to. Nitrile rubber Material thickness: $\geq 0.40$ mm Penetration time: $\geq 480$ min Butyl rubber: Material thickness: $\geq 0.5$ mm Penetration time: $\geq 480$ min
· Eye/face protection	Tight-fitting safety goggles. Safety goggles.
· Body protection:	Protective clothing Suitable protective clothing should be worn when working with epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the lower leg area should be protected by protective trousers.

9.1 Information on basic physical and che	emical properties	
General Information		
Colour:	Red	
Smell:	Characteristic	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	Not applicable	
	Not determined	
Flash point:	151 °C	
pH .	Not determined.	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Not miscible or difficult to mix	
Steam pressure:	Not determined.	
Density and/or relative density		
Density at 20 °C	1.77 g/cm³	
9.2 Other information		
Appearance:		
Form:	Pasty	



Page 8/13

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

#### Trade name Konudur Robopox 10 - Komponente B

		(Contd. of page
<ul> <li>Important information on protection of hea and environment, and on safety.</li> </ul>	alth	
Self-inflammability:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
· Information with regard to physical haz	ard	
classes		
<sup>.</sup> Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
<sup>·</sup> Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
<sup>·</sup> Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

### SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

## **SECTION 11: Toxicological information**

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Based on available data, the classification criteria are not met. (Contd. on page 9)

\_\_\_\_\_GB -



Page 9/13

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

Trade name Konudur Robopox 10 - Komponente B

	values that are releva	Υ.	ntd. of pag
	values that are releva 7-65-3 Calcium carbo		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
	9-20-6 1,3-Cyclohexa		
Oral	LD50	700 mg/kg (rat)	
Dermal	LD50	1700 mg/kg (rat)	
	6-10-0 Polyoxypropyl		
Oral	LD50	2855 mg/kg (Rat)	
Dermal	LD50	2980 mg/kg (Kan)	
	-51-6 Benzyl alcohol		
Oral	LD50	1230 mg/kg (rat)	
oru	NOAEL 2nd year stud		
		200 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	
Inhalative		>4178 mg/l (rat)	
	7-55-0 m-phenyleneb	• • • •	
-	LD50	1180 mg/kg (mouse)	
		930 mg/kg (rat)	
Dermal	LD50	>3100 mg/kg (rabbit)	
CAS: 69-7	2-7 salicylic acid		
Oral	LD50	891 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Skin corre	osion/irritation	Causes severe skin burns and eye damage.	
		Causes serious eye damage.	
	ry or skin	May cause an allergic skin reaction.	
		Based on available data, the classification criteria are n	ot met
		Based on available data, the classification criteria are n	
		Based on available data, the classification criteria are no	
		Based on available data, the classification criteria are no	
		Based on available data, the classification criteria are n	
Aspiration		Based on available data, the classification criteria are no	ot met.
-	mation on other haza		
	e disrupting propertie	Phenyl-Ethyl) carbolic acid	Liot II
CAS: 6176 CAS: 69-7			List II
CAS: 09-1	2-7 salicylic acid		List II;

(Contd. on page 10)



Page 10/13

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

Trade name Konudur Robopox 10 - Komponente B

(Contd. of page 9)

	N 12: Ecological i		
12.1 Toxic	•		
Aquatic to	•		
	-65-3 Calcium carbo		
	>14 mg/l (Desmodesr		
	>10000 mg/l (Oncorh		
	>1000 mg/l (Daphnia		
	>1000 mg/l (Daphnia magna)		
	-20-6 1,3-Cyclohexai		
	90 mg/l (Pseudokirchi		
EC50	90 mg/l (Pseudomonas putida)		
	130 mg/l (Leucidus idus)		
	51-6 Benzyl alcohol		
IC50/72h	700 mg/l (algae)		
LC50/96h	460 mg/l (Pimephales	s promelas)	
	10 mg/l (Lepomis macrochirus)		
CAS: 1477	-55-0 m-phenylenebi	is(methylamine)	
IC50/72h	12 mg/l (algae)		
EC50/72h	12 mg/l (Scenedesmu	is subspicatus)	
LC50/96h	>100 mg/l (Oncorhyne	chus mykiss)	
	87.6 mg/l (Ory)		
	15.2 mg/l (Daphnia magna)		
	stence and		
degradabi	lity cumulative	No further relevant information available.	
potential		No further relevant information available.	
12.4 Mobil		No further relevant information available.	
12.5 Resu	ts of PBT and vPvB		
PBT:		Not applicable.	
vPvB: 12.6 Endocrine disrupting		Not applicable.	
properties		For information on endocrine disrupting properties see section 11	
	adverse effects		
	ecological informati		
General n		Do not allow product to reach ground water, water bodies sewage system.	
		Danger to drinking water if even small quantities leak into soil.	

(Contd. on page 11)



Page 11/13

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

Trade name Konudur Robopox 10 - Komponente B

(Contd. of page 10)

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation:

· Recommendation

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

## SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR, IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.S. (1,3 C y c I o h e x a n e d i m e t h a n a m i n e Tetraethylenepentamine)
14.3 Transport hazard class(es)	
ADR Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk accordi IMO instruments	i <b>ng to</b> Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ)	1L
	(Contd. on page 1



Page 12/13

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

#### Trade name Konudur Robopox 10 - Komponente B

	(Contd. of page 11)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	E
· Remarks:	"Begrenzte Mengen"
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Remarks:	"Begrenzte Mengen"
· UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-CYCLOHEXANEDIMETHANAMINE, TETRAETHYLENEPENTAMINE), 8, II

### **SECTION 15: Regulatory information**

<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>Poisons Act</li> </ul>	No further relevant information available.
<ul> <li>Regulated explosives precul</li> </ul>	rsors
None of the ingredients is liste	d.
· Regulated poisons	

None of the ingredients is listed. · Reportable explosives precursors

None of the ingredients is listed.

#### · Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.

(Contd. on page 13)

GB



Page 13/13

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2024

Version number 31 (replaces version 30)

Revision: 15.03.2024

### Trade name Konudur Robopox 10 - Komponente B

	(Contd. of page
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H361d Suspected of damaging the unborn child.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.
Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms	; RID: Règlement international concernant le transport des marchandis
	dangereuses par chemin de fer (Regulations Concerning the Internatio
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Danger Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 4: Acute toxicity – Category 4
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B
	Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Skin Sens. 1B: Skin sensitisation – Category 1B
	Repr. 2: Reproductive toxicity – Category 2
	Asp. Tox. 1: Aspiration hazard – Category 1
	Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aqua hazard – Category 2
	Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic
	hazard – Category 3
* Data compared to the	