

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

MC-Ballastbond 70 - Komponente B
842
No further relevant information available.
Injektion Polyurethane resin Hardening agent/ Curing agent
the safety data sheet
MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de
MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
msds@mc-bauchemie.de
Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
STOT SE 3 H335 May cause respiratory irritation.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

GB



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

		(Contd. of page 1)
 Hazard pictograms 		
	GHS07 GHS	08
· Signal word	Danger	
· Hazard-determining		
components of labelling:		nediisocyanate,isomeres and homologues
 Hazard statements 	H315 Causes s	
		erious eye irritation. Ise allergy or asthma symptoms or breathing
		s if inhaled.
		se an allergic skin reaction.
		d of causing cancer.
		se respiratory irritation.
	•	se damage to organs through prolonged or repeated
	exposure s P260	
 Precautionary statement 	S P200	Do not breathe dust/fume/gas/mist/vapours/ spray.
	P280	Wear protective gloves/protective clothing/eye
		protection/face protection/hearing protection.
	P284	[In case of inadequate ventilation] wear
		respiratory protection.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P342+P311	If experiencing respiratory symptoms: Call a
		POISON CENTER/doctor.
	P403+P233	Store in a well-ventilated place. Keep container
		tightly closed.
 Additional information: 		ins isocyanates. May produce an allergic reaction.
	industrial or pro	Igust 2023 adequate training is required before
· 2.3 Other hazards	industrial of pro	nessional use.
• Results of PBT and vPvB	assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

 3.1 Substances CAS No. Designation: 	9016-87-9 diphenylmethanediisocyanate homologues	,isomeres and
 Identification number(s): Index number: 3.2 Mixtures 	615-005-01-6	
· Description:	Mixture consisting of the following components.	(Contd. on page 3)

_____ GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 2)

· Dangerous components:				
CAS: 9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	80-100%		
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C \geq 5 %			
	Skin Irrit. 2; H315: $C \ge 5$ % Resp. Sens. 1; H334: $C \ge 0.1$ % STOT SE 3; H335: $C \ge 5$ %			

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation
 After skin contact
 After skin contact
 After eye contact
 After swallowing
 Supply fresh air; consult doctor in case of symptoms. Instantly wash with water and soap and rinse thoroughly. Rinse opened eye for several minutes under running water. Call a doctor immediately. Instantly call for doctor.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN) Under certain fire conditions, traces of other toxic gases cannot be excluded.

• 5.3 Advice for firefighters • Protective equipment:

Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 6.2 Environmental precautions:
 6.3 Methods and material for
- containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

GB



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 3)

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
 Information about protection against explosions and fires:
 No special measures required.
 7.2 Conditions for safe storage, including any incompatibilities
 Storage
 Requirements to be met by storerooms and containers:
 Information about storage in one common storage facility:
 Not required.
- storage conditions: Keep container tightly sealed. • Storage class 10
- **SECTION 8: Exposure controls/personal protection**
- · 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

- CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues
- WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO

· DNELs

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m³ (ArL)

· PNECs

CAS: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Freshwater)

PNEC 1 mg/kg dwt (Bod)

· Additional information:

The lists that were valid during the compilation were used as basis. (Contd. on page 5)

GB



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

	(Contd. of page 4)
[•] 8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
	ures, such as personal protective equipment
 General protective and 	
hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	Wash hands during breaks and at the end of the work.
	Avoid contact with the eyes and skin.
Breathing equipment:	Respiratory protection is required at inadequately ventilated
	workplaces and during spray processing. Fresh air masks or
lland aveta atia a	combination filters A2-P2 are recommended for short-term work.
Hand protection	Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness > 0.35mm.
	Only suitable for splash protection. Only suitable for short-term
	exposure. In case of contamination, the protective gloves must be
	changed immediately.
Material of gloves	Nitrile rubber, NBR
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective
material	glove manufacturer and must be observed.
· Eye/face protection	Not required.
· Body protection:	Protective work clothing.
body protection.	r rotoonvo work olouning.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and o	chemical properties	
· Colour:	Dark brown	
· Smell:	Characteristic	
· Melting point/freezing point:	Not determined	
· Boiling point or initial boiling point and		
boiling range	- 190 °C	
· Flash point:	201 °C	
· Auto-ignition temperature:	400 °C	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· dynamic:	Not determined.	
· Solubility	Not dotominod.	
· Water:	Hydrolized	
	Not miscible or difficult to mix	
· Steam pressure at 25 °C:	0.0002 hPa	
· Density and/or relative density	0.0002 /// 4	
· Density at 20 °C	1.22 g/cm³	
		(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

		(Contd. of page
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea and environment, and on safety.	alth	
Explosive properties:	Product is not explosive.	
Molecular weight	360 g/mol	
Information with regard to physical haz classes	ard	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	Reacts with amines
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 6)

<i>inhaled.</i> May cause an allergic skin reaction. Germ cell mutagenicity Carcinogenicity Suspected of causing cancer.	Acute tox	icity		asses as defined in Regulation (EC) No 1272/2008 Harmful if inhaled.
OralLD50>10000 mg/kg (Rat)DermalLD50>5000 mg/kg (Rab)InhalativeLC50/4 h~450 mg/l (Rat)Skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses serious eye irritation.Serious eye damage/irritationCauses serious eye irritation.Serious eye damage/irritationCauses serious eye irritation.Respiratory or skinMay cause allergy or asthma symptoms or breathing difficulties inhaled.May cause an allergic skin reaction.May cause an allergic skin reaction.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicitySuspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsBased on available data, the classification criteria are not met.				
Dermal InhalativeLD50>5000 mg/kg (Rab)InhalativeLC50/4 h~450 mg/l (Rat)Skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses serious eye irritation.Serious eye damage/irritationCauses serious eye irritation.Respiratory or skin sensitisationMay cause allergy or asthma symptoms or breathing difficulties inhaled. May cause an allergic skin reaction.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicitySuspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause damage to organs through prolonged or repeate exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsStote data, the classification criteria are not met.	CAS: 901	6-87-9 dip	henylmeth	anediisocyanate,isomeres and homologues
Inhalative LC50/4 h ~450 mg/l (Rat) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Serious ry or skin Causes serious eye irritation. Respiratory or skin May cause allergy or asthma symptoms or breathing difficulties inhaled. Serious eye irritation May cause an allergic skin reaction. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Suspected of causing cancer. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Based on available data, the classification criteria are not met. 11.2 Information on other hazards Based on available data, the classification criteria are not met.	Oral	LD50	>10000 mg	g/kg (Rat)
Skin corrosion/irritationCauses skin irritation.Serious eye damage/irritationCauses serious eye irritation.Respiratory or skin sensitisationMay cause allergy or asthma symptoms or breathing difficulties inhaled. May cause an allergic skin reaction.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicitySuspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsStorrespiratory	Dermal	LD50	>5000 mg/	/kg (Rab)
Serious eye damage/irritationCauses serious eye irritation.Respiratory or skin sensitisationMay cause allergy or asthma symptoms or breathing difficulties inhaled. May cause an allergic skin reaction.Germ cell mutagenicity CarcinogenicityBased on available data, the classification criteria are not met. Suspected of causing cancer.Reproductive toxicity STOT-single exposureBased on available data, the classification criteria are not met. May cause respiratory irritation.STOT-repeated exposure Carcino hazardMay cause damage to organs through prolonged or repeated exposure.Aspiration hazard T1.2 Information on other hazardsBased on available data, the classification criteria are not met.	Inhalative	LC50/4 h	~450 mg/l	(Rat)
 Serious eye damage/irritation Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties inhaled. May cause an allergic skin reaction. Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Aspiration on other hazards 	Skin corr	osion/irrit	ation	Causes skin irritation.
Respiratory or skin sensitisationMay cause allergy or asthma symptoms or breathing difficulties inhaled. May cause an allergic skin reaction.Germ cell mutagenicityBased on available data, the classification criteria are not met. Suspected of causing cancer.CarcinogenicityBased on available data, the classification criteria are not met. Suspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met. May cause respiratory irritation.STOT-single exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsStop and an available data, the classification criteria are not met.				Causes serious eye irritation.
inhaled.Germ cell mutagenicityMay cause an allergic skin reaction.CarcinogenicityBased on available data, the classification criteria are not met.CarcinogenicitySuspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsStormation criteria are not met.				
Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicitySuspected of causing cancer.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsStormation on other hazards	sensitisat	tion		May cause allergy or asthma symptoms or breathing difficulties inhaled.
 Carcinogenicity Suspected of causing cancer. Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard Sased on available data, the classification criteria are not met. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Based on available data, the classification criteria are not met. 				May cause an allergic skin reaction.
Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazardsBased on available data, the classification criteria are not met.	Germ cell	mutagen	icity	Based on available data, the classification criteria are not met.
STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazards	· Carcinogenicity		-	Suspected of causing cancer.
STOT-repeated exposureMay cause damage to organs through prolonged or repeated exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazards	· Reproductive toxicity			Based on available data, the classification criteria are not met.
exposure.Aspiration hazardBased on available data, the classification criteria are not met.11.2 Information on other hazards			sure	
11.2 Information on other hazards	STOT-rep	eated exp	osure	
	Aspiration	n hazard		Based on available data, the classification criteria are not met.
Endocrine disrupting properties	11.2 Infor	mation or	n other haz	ards
		o disrunti	na nronerti	es

SECTION 12: Ecological information		
No further relevant information available.		
No further relevant information available.		
No further relevant information available.		
No further relevant information available.		
B assessment		
Not applicable.		
Not applicable.		
The product does not contain substances with endocrine disrupting		
properties.		
(Contd. on page 8)		



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

(Contd. of page 7)

Trade name MC-Ballastbond 70 - Komponente B

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
 Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:
 Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information	tion	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 9)

GB



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

	(Contd. of page 8
· Poisons Act	
· Regulated explosives pre	cursors
None of the ingredients is lis	sted.
· Regulated poisons	
None of the ingredients is lis	sted.
· Reportable explosives pre	ecursors
None of the ingredients is lis	sted.
· Reportable poisons	
None of the ingredients is lis	sted.
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

	5 5
	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. EUH204 Contains isocyanates. May produce an allergic reaction.
Department issuing data specification sheet:	Environment protection department.
	Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
	(Contd. on page 10)

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 28 (replaces version 27)

Revision: 23.02.2024

Trade name MC-Ballastbond 70 - Komponente B

(Contd. of page 9)

GB

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

 * Data compared to the previous version altered.