

Page 1/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name MC-DUR 111 eco - Komponente A

1.2 Relevant identified uses of the substance or mixture and uses advised against

• Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Coating

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400

Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS08

· Signal word Danger

· Hazard-determining

components of labelling: Triethylentetramin, 2,2'-Iminodi(ethylamin), Butanediol,

Methylphenol, Phenol, Bisphenol-A, Epichlorhydrin, Formaldehyd,

funktionelles Amin-Copolymer

(Contd. on page 2)



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 1)

crystalline silica

· Hazard statements H318 Causes serious eye damage.

H372 Causes damage to the lung through prolonged or repeated

exposure. Route of exposure: Inhalation.

• Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/

spray.

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P501 Dispose of contents/container in accordance

with local/regional/national/international

regulations.

· Additional information: EUH208 Contains 3,6-diazaoctanethylenediamin. May produce an

allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed

when sprayed. Do not breathe spray or mist.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous compor	nents:	
CAS: 14808-60-7	crystalline silica	30-60%
	STOT RE 1, H372	
CAS: 13463-67-7	titanium dioxide	10-30%
EINECS: 236-675-5	Carc. 2, H351	
CAS: 1312024-88-6	Triethylentetramin, 2,2'-Iminodi(ethylamin), Butanediol, Methylphenol, Phenol, Bisphenol-A, Epichlorhydrin, Formaldehyd, funktionelles Amin-Copolymer	≥3-<10%
	Eye Dam. 1, H318; Skin Irrit. 2, H315	
CAS: 112-24-3	3,6-diazaoctanethylenediamin	≥0.1-<0.5%
EINECS: 203-950-6	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Remove contaminated clothing immediately. Consult a doctor if

symptoms occur. Move affected person to fresh air.

(Contd. on page 3)



Page 3/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 22.03.2024 Printing date 22.03.2024 Version number 59 (replaces version 58)

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 2)

· After inhalation Supply fresh air; seek medical advice if symptoms occur.

If unconscious, place in recovery position and seek medical advice.

· After skin contact In case of contact with skin, wash carefully with plenty of soap and

water. Consult a doctor in case of skin reactions.

· After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately

· After swallowing Rinse mouth with water. Never give anything by mouth to an

unconscious person. DO NOT induce vomiting. If symptoms

persist, consult a doctor.

· 4.2 Most important symptoms and effects, both acute and

Advice for the doctor: Elementary aid, decontamination, delayed

symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.

Use fire fighting measures that suit the environment.

· For safety reasons unsuitable

extinguishing agents

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental

precautions: · 6.3 Methods and material for

No special measures required.

Water.

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust). Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

GB



Page 4/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Open and handle containers with care.

Only use in well-ventilated areas (e.g. open construction, outdoor areas), in rooms without air exchange (e.g. closed rooms, underground our parks) ventilation measures are required.

underground car parks) ventilation measures are required.

are required.

Wear suitable personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Change contaminated or damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy resins. Open and handle containers with care.

· Information about protection

against explosions and fires: Ensure sufficient air exchange and/or extraction in the working

areas. Take precautionary measures to avoid electrostatic

discharges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Further information about

storage conditions: Protect from heat and direct sunlight.

· Storage class 6.1D

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters · Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

General protective and

hygienic measures Keep away from food, drink and animal feed.

Remove soiled, soaked clothing immediately. Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

· Breathing equipment: If workplace limit values cannot be complied with by ventilation

measures or if rooms cannot be technically ventilated, respiratory protection must be worn: Use combination filter A1-P2 (brown/white) in rooms that cannot be ventilated. If oxygen deficiency is (Contd. on page 5)

GB



Page 5/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 4)

expected, use self-contained breathing apparatus. Observe wearing time limits according to §9 (3) GefStoffV in conjunction with BCR 100

with BGR 190.

• **Hand protection** Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

· Material of gloves You can find help with choosing gloves on the website https://

www.bgbau.de/fileadmin/Gisbau/Projekte.pdf

For example, we recommend the Sol-vex 37-900 protective gloves from Ansell GmbH. The breakthrough time of the protective gloves can be found under point 8 "Penetration time of the glove material". The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer. As the product

is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

Nitrile rubber

Recommended material thickness:≥ 0.4 mm

· Penetration time of glove material

The breakthrough times of the Sol-vex 37-900 protective gloves

are around 8 hours.

The following applies to all other gloves:

The exact breakthrough time must be obtained from the protective

glove manufacturer and adhered to.

Nitrile rubber

Material thickness: ≥ 0.40 mm Penetration time: ≥ 480 min

Butyl rubber:

Material thickness: ≥ 0.5 mm Penetration time: ≥ 480 min Tight-fitting safety goggles.

· Eye/face protection
· Body protection:

Safety goggles.
Protective clothing

Suitable protective clothing should be worn when working with epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the

lower leg area should be protected by protective trousers.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Not determined.

(Contd. on page 6)



Page 6/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 5)

Smell: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable
 Decomposition temperature: Not determined.
 pH Not applicable.

Not determined.

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

· Solubility · Water:

/ater: Emulsifiable

· Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

Density at 20 °C
 Relative density
 Vapour density
 Not determined.
 Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Void
· Flammable gases Void Void
· Aerosols Void

Void

· Oxidising gases Void

(Contd. on page 7)



Page 7/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

		(Contd. of page
· Gases under pressure	Void	
•	Void	
· Flammable liquids	Void	
•	Void	
Flammable solids	Void	
	Void	
Self-reactive substances and mixtures	Void	
	Void	
Pyrophoric liquids	Void	
. 7 1	Void	
Pyrophoric solids	Void	
· y. op. · o.	Void	
Self-heating substances and mixtures	Void	
con mouning carotamose and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
namnable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidishing liquids	Void Void	
Ovidicina colida	Void Void	
Oxidising solids	Void Void	
Organia navavidas	Void Void	
Organic peroxides		
Carracina to motale	Void	
Corrosive to metals	Void	
D	Void	
Desensitised explosives	Void	
	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.
 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 22.03.2024 Printing date 22.03.2024 Version number 59 (replaces version 58)

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 7)

· LD/LC50 values that are relevant for classification:				
CAS: 134	63-67-7 tit	anium dioxide		
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	>10000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>6.8 mg/l (rat)		
CAS: 112	-24-3 3,6-0	diazaoctanethylenediamin		
Oral	LD50	1716.2 mg/kg (rat)		
Dermal	LD50	1720 mg/kg (rat)		
· Skin corr	osion/irrit	ation Based on available data, the classification criteria are not met.		

· Serious eye damage/irritation Causes serious eye damage.

· Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Causes damage to the lung through prolonged or repeated

exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

No further relevant information available. · Aquatic toxicity:

· 12.2 Persistence and

No further relevant information available. degradability

· 12.3 Bioaccumulative

potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.



Page 9/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi	ng to Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

(Contd. on page 10)



Page 10/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024 Version number 59 (replaces version 58) Revision: 22.03.2024

Trade name MC-DUR 111 eco - Komponente A

(Contd. of page 9)

 Directive 2012/18/EU
 Named dangerous substances - ANNEX I

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 3

* Data compared to the previous version altered.