

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| MC-DUR 2052 UVB - Komponente B   |
|--|
| 202<br>No further relevant information available.<br>Polyurethane resin  |
| Hardening agent/ Curing agent<br><b>he safety data sheet</b><br>MC-Bauchemie Müller GmbH & Co. KG<br>Am Kruppwald 1-8<br>D-46238 Bottrop<br>Tel.: +49(0)2041-101-0<br>Fax.: +49(0)2041-101-400<br>E-Mail: info@mc-bauchemie.de |
| MC-Bauchemie AG<br>Hagackerstr. 10<br>CH-8953 Dietikon<br>Tel.: +44-7400510<br>Fax : +44-7400533   |
| msds@mc-bauchemie.de<br>Tel.: +49 /  (0)700 24112112 (MCR)<br>Tel.: +1 872 5888271 (MCR)   |
|  |

## **SECTION 2: Hazards identification**

| <ul> <li>2.1 Classification of the subs</li> <li>Classification according to F</li> </ul>   |  |                       |
|---|--|-----------------------|
| Acute Tox. 4 H332 Harmful if i  | inhaled.   |                       |
| Skin Sens. 1 H317 May cause   | e an allergic skin reaction.   |                       |
| STOT SE 3 H335 May cause  | e respiratory irritation.  |                       |
| <ul> <li>2.2 Label elements</li> <li>Labelling according to<br/>Regulation (EC) No 1272/200</li> <li>Hazard pictograms</li> </ul> | <b>08</b> The product is classified and labelled acc<br>regulation.<br>GHS07 | cording to the GB CLP |
| · Signal word   | Warning  | (Contd. on page 2)    |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

#### Trade name MC-DUR 2052 UVB - Komponente B

(Contd. of page 1)

Page 2/9

| Hazard-determining                    |             |  |
|---------------------------------------|-------------|--|
| components of labelling:              |             | es Polyisocyanat   |
|                                       | hexamethy   | lene diisocyanate  |
| <ul> <li>Hazard statements</li> </ul> | H332 Harn   | nful if inhaled.   |
|                                       | H317 Mav    | cause an allergic skin reaction.   |
|                                       |             | cause respiratory irritation.  |
| · Precautionary statements            | P261        | Avoid breathing dust/fume/gas/mist/vapours/spray.                            |
| ricedutionary etatemente              | P280        | Wear protective gloves.  |
|                                       |             |  |
|                                       | P304+P340   | 0 IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
|                                       | P312        | Call a POISON CENTER/doctor if you feel unwell.                              |
|                                       | -           | 3 Store in a well-ventilated place. Keep container tightly closed.           |
|                                       | P405        | Store locked up.   |
| · Additional information:             | FUH204 C    | ontains isocyanates. May produce an allergic reaction.                       |
| · 2.3 Other hazards                   | 20//20//0   | entante leceganatee. Mag produce an anorgie redetion.                        |
| · Results of PBT and vPvB ass         | aaamant     |  |
|                                       |             |  |
| · PBT:                                | Not applica |  |
| · vPvB:                               | Not applica | ble.   |
|                                       |             |  |

| SECTION 3: Com | position/information on | ingredients  |
|----------------|-------------------------|--------------|
|                |                         | ingrouionico |

| · 3.2 Mixtures |  |
|----------------|--|
| · Description: |  |

Mixture consisting of the following components.

| <ul> <li>Dangerous components:</li> </ul>                                |  |         |
|--|--|---------|
| CAS: 28182-81-2  | Aliphatisches Polyisocyanat  | 80-100% |
|  | Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3,<br>H335, EUH204   |         |
| CAS: 822-06-0<br>EINECS: 212-485-8<br>Reg.nr.: 01-2119457571-37-<br>0000 | hexamethylene diisocyanate<br>Acute Tox. 3, H331; Resp. Sens. 1, H334; Acute Tox.<br>4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin<br>Sens. 1, H317; STOT SE 3, H335, EUH204<br>Specific concentration limits:<br>Resp. Sens. 1; H334: $C \ge 0.5 \%$<br>Skin Sens. 1; H317: $C \ge 0.5 \%$ | <0.1%   |

# SECTION 4: First aid measures

• 4.1 Description of first aid measures

| · General information                  | Take affected persons into the open air.   |
|--|--|
| · After inhalation                     | Supply fresh air; consult doctor in case of symptoms.  |
| <ul> <li>After skin contact</li> </ul> | The product is not skin irritating.  |
| · After eye contact                    | Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. |
| <ul> <li>After swallowing</li> </ul>   | Rinse out mouth and then drink plenty of water.  |
| -                                      | (Contd. on page 3)   |

- GB



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

Trade name MC-DUR 2052 UVB - Komponente B

Seek medical treatment.

(Contd. of page 2)

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
   5.3 Advice for firefighters
- Protective equipment:
- No special measures required.

No further relevant information available.

#### **SECTION 6: Accidental release measures**

| <ul> <li>6.1 Personal precautions,<br/>protective equipment and</li> </ul> |  |
|--|--|
| emergency procedures   | Not required.  |
| · 6.2 Environmental  | •  |
| precautions:   | No special measures required.  |
| 6.3 Methods and material for   |  |
| containment and cleaning up:   | Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). |
| <sup>.</sup> 6.4 Reference to other  |  |
| sections   | No dangerous materials are released.   |

#### **SECTION 7: Handling and storage**

|  |  | – GB – |
|--|--|--------|
| · Storage class  | 10   |        |
| storage conditions:  | None.  |        |
| · Further information about  |  |        |
| one common storage facility:   | Not required.  |        |
| · Information about storage in   |  |        |
| • Requirements to be met by storerooms and containers:                             | No special requirements.   |        |
| 7.2 Conditions for safe storag   | e, including any incompatibilities   |        |
| <ul> <li>Information about protection<br/>against explosions and fires:</li> </ul> | No special measures required.  |        |
| handling   | Ensure good ventilation/exhaustion at the workplace.<br>Prevent formation of aerosols. |        |
| · 7.1 Precautions for safe   |  |        |

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

Trade name MC-DUR 2052 UVB - Komponente B

(Contd. of page 3)

| 8.1 Control  | -                                      |   |
|--------------|--|---|
| -            |  | alues that require monitoring at the workplace:   |
|              |  | ne diisocyanate   |
|              | term value: 0.07<br>term value: 0.02 i |   |
|              | as -NCO                                | ng/m  |
| DNELs        |  |   |
|              | -81-2 Aliphatisc                       | hes Polyisocyanat   |
|              | •                                      | (Workers) (long term local)   |
|              | -                                      | ei) (acute local eff)   |
| CAS: 822-0   |  | ne diisocyanate   |
|              | NEL 0.5 mg/m <sup>3</sup>              | -   |
| PNECs        |  |   |
| CAS: 28182   | -81-2 Aliphatisc                       | hes Polyisocyanat   |
| PNEC aqua    | 12.7 µg/l (Daphr                       | nia magna) (marine)   |
| PNEC         | 38.28 mg/l (kei)                       | (STP)   |
| CAS: 822-0   | -                                      | ne diisocyanate   |
| PNEC         |  | ge Treatment Plant)   |
|              | 0.0199 mg/l (Me                        |   |
|              | 0.199 mg/l (Fres                       |   |
| PNEC         | 8884 mg/kg dwt                         |   |
|              |  | (Marine water sediment)   |
|              |  | rt (Fresh water sediment)   |
| -            | with biological                        |   |
|              |  | ne diisocyanate   |
|              | nol creatinine/mol                     |   |
|              | ium: urine<br>Inling time: At the      | end of the period od exposure   |
|              |  | e-derived diamine   |
| Additional i | information:                           | The lists that were valid during the compilation were used as ba  |
| 8.2 Exposu   | re controls                            |   |
| Appropriate  | e engineering                          |   |
| controls     |  | No further data; see section 7.   |
|              | protection measu<br>ptective and       | ires, such as personal protective equipment   |
| hygienic m   |  | The usual precautionary measures should be adhered t<br>handling the chemicals.   |
| Breathing e  | quipment:                              | Respiratory protection is required at inadequately ventile<br>workplaces and during spray processing. Fresh air mask<br>combination filters A2-P2 are recommended for short-term work |



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

#### Trade name MC-DUR 2052 UVB - Komponente B

| · Hand protection   | (Contd. of page 4)<br>Conditionally suitable materials for protective gloves; EN 374-3:<br>Nitrile rubber - NBR: Thickness ≥ 0.35mm.<br>Only suitable for splash protection. Only suitable for short-term<br>exposure. In case of contamination, the protective gloves must be<br>changed immediately. |
|---|--|
| <ul> <li>Material of gloves</li> </ul>                            | Nitrile rubber, NBR  |
| <ul> <li>Penetration time of glove</li> </ul>                     |  |
| material  | The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.  |
| <ul> <li>Eye/face protection</li> <li>Body protection:</li> </ul> | Tightly sealed safety glasses.<br>Protective work clothing.  |

## **SECTION 9: Physical and chemical properties**

| General Information                        | Vallausiah                       |                |
|--|----------------------------------|----------------|
| Colour:                                    | Yellowish                        |                |
| Smell:                                     | Recognisable                     |                |
| Melting point/freezing point:              | Not determined                   |                |
| Boiling point or initial boiling point and |                                  |                |
| boiling range                              | Not determined                   |                |
| Flash point:                               | 158 °C                           |                |
| рН   | Not applicable.                  |                |
|  | Not determined.                  |                |
| Viscosity:                                 |                                  |                |
| Kinematic viscosity                        | Not determined.                  |                |
| dynamic at 20 °C:                          | 2500 mPas                        |                |
| Solubility                                 |                                  |                |
| Water:                                     | Not miscible or difficult to mix |                |
|  | Fully miscible                   |                |
| Steam pressure at 20 °C:                   | 0.00000003 hPa                   |                |
| Density and/or relative density            |                                  |                |
| Density at 20 °C                           | 1.17 g/cm³                       |                |
| •  | <u> </u>                         |                |
| 9.2 Other information                      |                                  |                |
| Appearance:                                |                                  |                |
| Form:                                      | Fluid                            |                |
| Important information on protection of hea | lth                              |                |
| and environment, and on safety.            |                                  |                |
| Explosive properties:                      | Product is not explosive.        |                |
| Information with regard to physical haza   | ard                              |                |
| classes                                    | -                                |                |
| Explosives                                 | Void                             |                |
| Flammable gases                            | Void                             |                |
| Aerosols                                   | Void                             |                |
| Oxidising gases                            | Void                             |                |
| Gases under pressure                       | Void                             |                |
|  |                                  | Contd. on page |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

#### Trade name MC-DUR 2052 UVB - Komponente B

|                                       |      | (Contd. of page 5) |
|---------------------------------------|------|--------------------|
| · Flammable liquids                   | Void |                    |
| · Flammable solids                    | Void |                    |
| Self-reactive substances and mixtures | Void |                    |
| · Pyrophoric liquids                  | Void |                    |
| Pyrophoric solids                     | Void |                    |
| Self-heating substances and mixtures  | Void |                    |
| · Substances and mixtures, which emit |      |                    |
| flammable gases in contact with water | Void |                    |
| · Oxidising liquids                   | Void |                    |
| • Oxidising solids                    | Void |                    |
| · Organic peroxides                   | Void |                    |
| · Corrosive to metals                 | Void |                    |
| · Desensitised explosives             | Void |                    |

#### **SECTION 10: Stability and reactivity**

| <ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> </ul>   | No further relevant information available.            |
|--|---|
| <ul> <li>Thermal decomposition /<br/>conditions to be avoided:</li> <li>10.3 Possibility of hazardous</li> </ul> | No decomposition if used according to specifications. |
| reactions  | Reacts with amines                                    |
| <ul> <li>10.4 Conditions to avoid</li> </ul>   | No further relevant information available.            |
| • 10.5 Incompatible materials:   | No further relevant information available.            |
| 10.6 Hazardous   |   |
| decomposition products:  | No dangerous decomposition products known             |

## **SECTION 11: Toxicological information**

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Harmful if inhaled.

| · LD/LC50 values that are relevant for classification: |  |                 |   |
|--|--|-----------------|---|
| CAS: 2   | 8182-81                                  | -2 Aliphatische | es Polyisocyanat  |
| Oral   | Oral LD50 >2500 mg/kg (rat) (OECD 423)   |                 |   |
| Dermal   | Dermal LD50 >2000 mg/kg (rat) (OECD 402) |                 |   |
| CAS: 822-06-0 hexamethylene diisocyanate               |  |                 |   |
| Oral   | Oral LD50 738 mg/kg (rat)                |                 |   |
| · Skin co  | prrosion                                 | /irritation     | Based on available data, the classification criteria are not met. |
| <sup>.</sup> Respira                                   | atory or                                 | skin            |   |
| sensitis   | sation                                   |                 | May cause an allergic skin reaction.                              |
| <sup>.</sup> Germ c                                    | ell muta                                 | agenicity       | Based on available data, the classification criteria are not met. |
| · Carcino  | ogenicit                                 | ty i            | Based on available data, the classification criteria are not met. |
| <sup>.</sup> Reprod                                    | luctive t                                | toxicity        | Based on available data, the classification criteria are not met. |
| STOT-s   | single ex                                | xposure         | May cause respiratory irritation.                                 |
| · STOT-r   | repeated                                 | ,<br>d exposure | Based on available data, the classification criteria are not met. |
|  | •  | •               | (Contd. on page 7)  |
|  |  |                 |   |

Page 6/9

GB



Page 7/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

#### Trade name MC-DUR 2052 UVB - Komponente B

· Aspiration hazard

(Contd. of page 6)

- Based on available data, the classification criteria are not met. · 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

| · Aquatic to | xicity:                                     |
|--------------|---|
| CAS: 2818    | 2-81-2 Aliphatisches Polyisocyanat          |
| ErC10/72h    | 370 mg/l (Desmodesmus subspicatus) (EU C.3) |
| E-050/704    |   |

- ErC50/72h >1000 mg/l (Desmodesmus subspicatus) (EU C.3)
- 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available. · 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

· 12.7 Other adverse effects

- · Additional ecological information:
- · General notes:

SECTION 13: Disposal considerations

 13.1 Waste treatment methods · Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings:

ground water, water bodies or sewage system.

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Do not allow undiluted product or large quantities of it to reach

### **SECTION 14: Transport information**

- · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA
- Void

(Contd. on page 8)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

Page 8/9

Trade name MC-DUR 2052 UVB - Komponente B

|   |                                   | (Contd. of page 7 |
|---|-----------------------------------|-------------------|
| <ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>  | Void                              |                   |
| · 14.3 Transport hazard class(es)   |                                   |                   |
| · ADR, ADN, IMDG, IATA<br>· Class   | Void                              |                   |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                                       | Void                              |                   |
| <ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>      | No                                |                   |
| · 14.6 Special precautions for user   | Not applicable.                   |                   |
| <ul> <li>14.7 Maritime transport in bulk accordi<br/>IMO instruments</li> </ul> | i <b>ng to</b><br>Not applicable. |                   |
| · UN "Model Regulation":  | Void                              |                   |

## **SECTION 15: Regulatory information**

| <ul> <li>15.1 Safety, health and<br/>environmental regulations/<br/>legislation specific for the<br/>substance or mixture</li> <li>Poisons Act</li> </ul> | No further relevant information available.             |
|---|--|
| Regulated explosives precurs  | ors  |
| None of the ingredients is listed.  |  |
| · Regulated poisons   |  |
| None of the ingredients is listed.  |  |
| · Reportable explosives precurs   | sors   |
| None of the ingredients is listed.  |  |
| · Reportable poisons  |  |
| None of the ingredients is listed.  |  |
| <ul> <li>15.2 Chemical safety<br/>assessment:</li> </ul>  | A Chemical Safety Assessment has not been carried out. |

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed. H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

(Contd. on page 9)

GB



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 29 (replaces version 28)

Revision: 17.02.2024

## Trade name MC-DUR 2052 UVB - Komponente B

|  |  | (Contd. of page   |
|--|--|---|
|  |  | Toxic if inhaled.   |
|  | H332   | Harmful if inhaled.   |
|  | H334   | May cause allergy or asthma symptoms or breathi<br>difficulties if inhaled.   |
|  | H335   | May cause respiratory irritation.   |
|  |  | Contains isocyanates. May produce an allergic reaction.   |
| · Department issuing data  |  |   |
| specification sheet:   | Environn   | nent protection department.   |
| • Abbreviations and acronyms:  | dangereus<br>Transport d<br>ICAO: Inter<br>ADR: Accc<br>route (Euru<br>Goods by I<br>IMDG: Inter<br>IATA: Inter<br>IATA: Inter<br>GHS: Glob<br>EINECS: E<br>ELINCS: E<br>CAS: Cher<br>DNEL: Der<br>PNEC: Pre<br>LC50: Leth<br>PBT: Persi<br>vPvB: very<br>Acute Tox.<br>Skin Irit. 2<br>Resp. Sens<br>Skin Sens. | lement international concernant le transport des marchandis<br>ses par chemin de fer (Regulations Concerning the Internation<br>of Dangerous Goods by Rail)<br>rnational Civil Aviation Organisation<br>ord relatif au transport international des marchandises dangereuses p<br>opean Agreement Concerning the International Carriage of Dangero<br>Road)<br>rnational Maritime Code for Dangerous Goods<br>national Air Transport Association<br>ally Harmonised System of Classification and Labelling of Chemicals<br>suropean Inventory of Existing Commercial Chemical Substances<br>incel Abstracts Service (division of the American Chemical Society)<br>ived No-Effect Level (UK REACH)<br>dicted No-Effect Concentration (UK REACH)<br>al dose, 50 percent<br>al dose, 50 percent<br>stent, Bioaccumulative and Toxic<br>Persistent and very Bioaccumulative<br>3: Acute toxicity – Category 3<br>4: Acute toxicity – Category 4<br>5 Skin corrosion/irritation – Category 2<br>serious eye damage/eye irritation – Category 2<br>s. 1: Respiratory sensitisation – Category 1<br>1: Skin sensitisation – Category 1<br>3: Specific target organ toxicity (single exposure) – Category 3 |
| . * Data compared to the   | STOTSES  | 3: Specific target organ toxicity (single exposure) – Category 3  |
| <ul> <li>* Data compared to the<br/>previous version altered.</li> </ul> |  |   |