

Page 1/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

[.] Trade name	MC-DUR 2496 CTP - Komponente A
 Article number: 1.2 Relevant identified uses of the substance or mixture 	2929
	No further relevant information available.
	Polyurethane lacquer
	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8
	D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Signal word

(Contd. on page 2)

⁻ GB



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

(Contd. of page 1)

· Hazard-determining		
components of labelling:	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspan Reaction mass of Decanedioic acid, bis(1,2,2,6,6-pentameth	
	piperidinyl) ester and decanedioic acid, (1,2,2,6,6-pentameth piperidinyl) methyl ester	yl-4-
 Hazard statements 	H317 May cause an allergic skin reaction.	
	H412 Harmful to aquatic life with long lasting effects.	
 Precautionary statements 	P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
,, ,	P273 Avoid release to the environment.	
	P280 Wear protective gloves.	
	P333+P313 If skin irritation or rash occurs: Get medical adv attention.	vice/
	P321 Specific treatment (see on this label).	
	P501 Dispose of contents/container in accordance local/regional/national/international regulations.	with
· Additional information:	EUH211 Warning! Hazardous respirable droplets may be for when sprayed. Do not breathe spray or mist.	rmed
· 2.3 Other hazards		
· Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	

[·] vPvB:

Not applicable.

Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Resin mixture.

Mixture consisting of the following components.

 Dangerous components: 		
CAS: 136210-30-5 ELINCS: 429-270-1 Reg.nr.: 01-0000017556-64- xxxx	tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl) bis-DL-aspartate Skin Sens. 1, H317; Aquatic Chronic 3, H412	30-60%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carc. 2, H351	10-30%
CAS: 64742-95-6	Solvent naphtha (petroleum), light arom. Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336, EUH066	<i>≥</i> 0.25-<1.5%
CAS: 222417-26-7	Polyacrylate Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315	<i>≥</i> 0.25-<1%
EC number: 915-687-0 Reg.nr.: 01-2119491304-40- XXXX	Reaction mass of Decanedioic acid, bis(1,2,2,6,6- pentamethyl-4-piperidinyl) ester and decanedioic acid,(1,2,2,6,6-pentamethyl-4-piperidinyl) methyl ester	<i>≥</i> 0.1-<0.25%
	Repr. 2, H361; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	

(Contd. on page 3)



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

 General information 	Remove soiled, soaked clothing immediately.
· After inhalation	Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.
· After skin contact	In case of contact with skin, wash carefully with plenty of soap and water. Consult a doctor in case of skin reactions.
· After eye contact	Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
· 4.2 Most important symptoms	S

 4.2 Most important symptoms and effects, both acute and delayed

Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.

 • 4.3 Indication of any immediate medical attention and special treatment needed Therapeutic measures: No information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
 Protective equipment:
- No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
[.] 6.2 Environmental	
precautions:	No special measures required.
6.3 Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
6.4 Reference to other sections	No dangerous materials are released.
	0.0

(Contd. on page 4)



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

(Contd. of page 3)

SECTION 7: Handling and	
7.1 Precautions for safe handling	Ensure sufficient air exchange and/or extraction in the work area Air extraction is required for spray application. For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored. At workplaces where isocyanate aerosols and/or vapours c occur in higher concentrations, targeted air extraction must used to prevent the occupational hygiene limit value from bei exceeded. The air must be moved away from people. For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must observed. The protective measures required when handlii isocyanates must be observed. Avoid contact with skin and ey and inhalation of vapours. Keep away from food and beverages. Wash hands before brea and at the end of work and apply skin protection ointment. Sto work clothes separately. Remove soiled, soaked clothin immediately
Information about protection against explosions and fires:	immediately. Keep ignition sources away - do not smoke. Protect from heat. Do not store near heat sources.
7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers:	Keep container dry and tightly closed. Further information on t storage conditions that must be observed for quality assuran reasons can be found in our technical data sheet. Keep tightly closed in original packaging. Ventilate storage root well. Carefully close opened containers and store upright prevent any leakage.
Information about storage in one common storage facility: Further information about storage conditions: Storage class 7.3 Specific end use(s)	Storage temperature >5°C and <30°C May be stored together with hazardous substances of oth classes up to 200 kg. None. 12 No further relevant information available.

(Contd. on page 5)



Page 5/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

(Contd. of page 4)

Comp values	ntrol para onents wit that requ oring at th	th critical ire	The product does not contain any relevant quantities of materi	
DNEL	<u> </u>	with critical values that have to be monitored at the workplace		
		5 totraothul-N	N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	
Derma		4 mg/kg bw/a		
		28 mg/m ³ (Ar		
mnaiai	IVE DINLL	112 mg/m³ (A		
		112 mg/m² (#	//////////////////////////////////////	
PNEC				
			N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	
PNEC	31.1 mg/l	. ,		
		mg/l (Mew)		
	0.00013 mg/l (Freshwate		er)	
PNEC	0.1 mg/kg	dwt (Bod)	rine water sediment) sh water sediment)	
	0.02 mg/k	g dwt (Marine		
	0.21 mg/k	g dwt (Fresh v		
Additi	onal infori	mation:	The lists that were valid during the compilation were used as bas	
contro	13		No further data; see section 7.	
			es, such as personal protective equipment	
Gener	dual protec al protecti nic measu	ive and		
Gener	al protecti	ive and	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin.	
Gener	al protecti	ive and	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a	
Gener hygier	al protecti nic measu	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work.	
Gener hygier	al protecti	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila	
Gener hygier	al protecti nic measu	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for sho	
Gener hygier	al protecti nic measu	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for sh term work.	
Gener hygier	al protecti nic measu	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for sho term work. If applicable, further recommendations for respiratory protect can be found in the appendix.	
Gener hygier	al protecti nic measu	ive and res	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for shi term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro	
Gener hygier Breath	al protecti nic measu	ive and res ment:	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for shi term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro bronchitis), handling of the product is not recommended.	
Gener hygier Breath	al protecti nic measu	ive and res ment:	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for shi term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro bronchitis), handling of the product is not recommended. Suitable materials for protective gloves; EN 374:	
Gener hygier Breath	al protecti nic measu	ive and res ment:	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for sho term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro bronchitis), handling of the product is not recommended. Suitable materials for protective gloves; EN 374: Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480mm Fluororubber - FKM: thickness ≥0.4mm; breakthrough ti ≥480min.	
Gener hygier Breath	al protecti nic measu	ive and res ment:	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for she term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro bronchitis), handling of the product is not recommended. Suitable materials for protective gloves; EN 374: Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480mm Fluororubber - FKM: thickness ≥0.4mm; breakthrough time ≥480min. Multi-layer glove - PE/EVAL/PE ; Breakthrough time ≥480 min.	
Gener hygier Breath	al protecti nic measu	ive and res ment:	Do not smoke, eat or drink while working. Have eye wa equipment ready. Do not inhale gases/vapours/aerosols. Avoid contact with eyes a skin. Do not store food in the work area. Wash hands before breaks a at the end of work. Respiratory protection required at insufficiently ventila workplaces and when working with splashes. Fresh air masks combination filters A2-P2 (EN529) are recommended for sho term work. If applicable, further recommendations for respiratory protect can be found in the appendix. In case of hypersensitivity of the respiratory tract (asthma, chro bronchitis), handling of the product is not recommended. Suitable materials for protective gloves; EN 374: Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480mm Fluororubber - FKM: thickness ≥0.4mm; breakthrough ti ≥480min.	



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024 Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

· Material of gloves	(Contd. of page 5) The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
 Penetration time of glove 	
material	Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min. Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough time ≥480min.
	Multi-layer glove - PE/EVAL/PE ; Breakthrough time \geq 480 min.
 Eye/face protection 	Wear safety goggles/face protection.
· Body protection:	Wear suitable protective clothing when working. In case of hypersensitivity of the skin, handling of the product is not recommended.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information	
· Colour:	According to product specification
· Smell:	Characteristic
 Melting point/freezing point: 	Not determined
Boiling point or initial boiling point and	
boiling range	185 °C (CAS: 136210-30-5 tetraethyl-N,N'-
	(methylenedicyclohexane-4,1-diyl)bis-DL-
	aspartate)
· Flash point:	Not applicable
· pH	Not applicable.
	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
• Steam pressure:	Not determined.
• Density and/or relative density	
Density at 20 °C	1.55 g/cm³
•	5
• 9.2 Other information	
· Appearance:	
Form:	Fluid
Important information on protection of heal	th
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
 Information with regard to physical haza 	rd
classes	
· Explosives	Void
Flammable gases	Void
	(Contd. on page 7)
	· · · · · · · · · · · · · · · · · · ·



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Page 7/11

Trade name MC-DUR 2496 CTP - Komponente A

		(Contd. of page
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

0.1 Reactivity	No further relevant information available.
0.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
0.3 Possibility of hazardous	
reactions	No dangerous reactions known
0.4 Conditions to avoid	No further relevant information available.
0.5 Incompatible materials:	No further relevant information available.
0.6 Hazardous	
lecomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

 \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartateOralLD50>2000 mg/kg (rat) (67/548/EWG, Annex V, B.1)	· LD/LC50 values that are relevant for classification:		
Oral LD50 >2000 mg/kg (rat) (67/548/EWG, Annex V, B.1)	CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate		
	Oral		
Dermal LD50 >2000 mg/kg (rat) (67/548/EWG, Annex V, B.3)	Dermal		
CAS: 13463-67-7 titanium dioxide			
Oral LD50 >5000 mg/kg (rat)	Oral		
Dermal LD50 >10000 mg/kg (rabbit)	Dermal		
Inhalative LC50/4 h >6.8 mg/l (rat)	Inhalative		
• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Respiratory or skin			
sensitisation May cause an allergic skin reaction.	sensitisat		



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

	(Contd. of page 7)		
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
· Carcinogenicity	Based on available data, the classification criteria are not met.		
· Reproductive toxicity	Based on available data, the classification criteria are not met.		
STOT-single exposure	Based on available data, the classification criteria are not met.		
STOT-repeated exposure	Based on available data, the classification criteria are not met.		
 Aspiration hazard 	Based on available data, the classification criteria are not met.		
11.2 Information on other hazards			
· Endocrine disrupting properties			
CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol List II			

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	· Aquatic toxicity:			
CAS: 136210-30-5 tetraethyl-N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate				
LC50/96h	66 mg/l (Danio rerio) (OECD 203)			
EC50	3110 mg/l (BEL)			
EC50/48h	88.6 mg/l (Daphnia magna)			
NOEC	0.01 mg/l (Daphnia magna)			
ErC50/72h	113 mg/l (Scenedesmus subspicatus)			
12.2 Persistence and				
degradabil	-	No further relevant information available.		
12.3 Bioac	cumulative			
potential		No further relevant information available.		
· 12.4 Mobili		No further relevant information available.		
12.5 Results of PBT and vPvB assessment				
· PBT:		Not applicable.		
· vPvB:		Not applicable.		
12.6 Endocrine disrupting				
properties		For information on endocrine disrupting properties see section 11.		
· 12.7 Other	adverse effects			
· Additional ecological information:				
· General no	otes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.		

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9) GB



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

(Contd. of page 8)

Trade name MC-DUR 2496 CTP - Komponente A

- · Uncleaned packagings:
- Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk according IMO instruments 	g to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.
· Regulated explosives precurs	ors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precur	sors
None of the ingredients is listed	
· Reportable poisons	
None of the ingredients is listed	
	(Contd. on page 10



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

(Contd. of page 9)

Trade name MC-DUR 2496 CTP - Komponente A

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H361 Suspected of damaging fertility or the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. · Department issuing data specification sheet: Environment protection department. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -Category 1 (Contd. on page 11) GB



Page 11/11

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2024

Version number 34 (replaces version 33)

Revision: 12.04.2024

Trade name MC-DUR 2496 CTP - Komponente A

(Contd. of page 10) Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

• * Data compared to the previous version altered.