

Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-Floor Easyplan classic
Article number: 1.2 Relevant identified uses of the substance or mixture	833
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Floor screed - fast cement
1.3 Details of the supplier of the	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

· 2.1 Classification of the substance or mixture

 $^{\rm \cdot}$  Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:
 Hazard statements

Portland cement H318 Causes serious eye damage.

(Contd. on page 2)

GB



Page 2/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

#### Trade name MC-Floor Easyplan classic

· Precautionary statements	P280 P305+P351+P33 P310	(Contd. of page 1) Wear eye protection / face protection. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
<ul> <li>2.3 Other hazards</li> </ul>		
<ul> <li>Results of PBT and vPvB as</li> </ul>	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

Beeenpaon		
· Dangerous compor	nents:	
CAS: 1317-65-3	Calcium carbonate substance with a Community workplace exposure limit	30-60%
	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	_ ≥3-<5%

## SECTION 4: First aid measures

• 4.1 Description of first aid	measures
General information	No special measures required.
· After inhalation	Supply fresh air.
<ul> <li>After skin contact</li> </ul>	The product is not skin irritating.
· After eye contact	Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
· After swallowing	Rinse out mouth and then drink plenty of water. Seek medical treatment.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or mixture
- 5.3 Advice for firefighters
   Protective equipment:
- No special measures required.

No further relevant information available.

(Contd. on page 3)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

Trade name MC-Floor Easyplan classic

(Contd. of page 2)

Page 3/8

## SECTION 6: Accidental release measures 6.1 Personal precautions,

protective equipment and emergency procedures 6.2 Environmental

Not required.

- precautions: No special measures required. • 6.3 Methods and material for
- containment and cleaning up: Collect mechanically.
- 6.4 Reference to other sections
  - No dangerous materials are released.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
   Prevent formation of dust.
   Information about protection against explosions and fires: No special measures required.
   7.2 Conditions for safe storage, including any incompatibilities
   Storage
   Requirements to be met by storerooms and containers: No special requirements.
   Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None. Storage class 13

## SECTION 8: Exposure controls/personal protection

```
· 8.1 Control parameters
```

· Components with critical values that require monitoring at the workplace:

CAS: 1317-65-3 Calcium carbonate

- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust; \*\*respirable
- CAS: 65997-15-1 Portland cement
- WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup> \*inhalable dust \*\*respirable dust
- · DNELs CAS: 1317-65-3 Calcium carbonate
- Oral DNEL 6.1 mg/kg bw/Tag (ArL)

Inhalative DNEL 10 mg/m<sup>3</sup> (ArL)

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

#### Trade name MC-Floor Easyplan classic

	(Contd. of page 3)
CAS: 65997-15-1 Portland c	
Inhalative DNEL 1 mg/m <sup>3</sup> (A	rL)
PNECs	
CAS: 1317-65-3 Calcium ca	rbonate
PNEC 100 mg/l (Sewage Tre	eatment Plant)
Additional information:	The lists that were valid during the compilation were used as basis.
8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
	ures, such as personal protective equipment
General protective and	The world was sufficiently was should be addressed to in
hygienic measures	The usual precautionary measures should be adhered to ir handling the chemicals.
Breathing equipment:	In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filte apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Hand protection	Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics.
Material of gloves	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation o several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Eye/face protection Body protection:	Not required. Protective work clothing.

9.1 Information on basic physical a General Information	and chemical properties	
Colour:	Grev	
Smell:	Odourless	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling poin	t and	
boiling range	Not applicable	
0 0	Not determined	
Flash point:	Not applicable	



Page 5/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

#### Trade name MC-Floor Easyplan classic

		(Contd. of page 4)
pH at 20 °C	11	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Unsoluble	
Steam pressure:	Not applicable.	
Density and/or relative density		
· Density	Not determined	
9.2 Other information		
Appearance:		
Form:	Powder	
Important information on protection of heat	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
Information with regard to physical haz classes		
- Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
<sup>.</sup> Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
Self-reactive substances and mixtures	Void	
<sup>.</sup> Pyrophoric liquids	Void	
<sup>.</sup> Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity

No further relevant information available.

- 10.2 Chemical stability
   Thermal decomposition /
- conditions to be avoided:
- 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid

No decomposition if used according to specifications.

No dangerous reactions known No further relevant information available.

(Contd. on page 6)

<sup>-</sup> GB



Page 6/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

(Contd. of page 5)

- GB

#### Trade name MC-Floor Easyplan classic

No further relevant information available.		
No dangerous decomposition products known		
SECTION 11: Toxicological information		

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values that are relevant for classification: CAS: 1317-65-3 Calcium carbonate Oral LD50 >2000 mg/kg (rat) Dermal LD50 >2000 mg/kg (rat) CAS: 65997-15-1 Portland cement Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat) · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Causes serious eye damage. · Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards · Endocrine disrupting properties None of the ingredients is listed.

## SECTION 12: Ecological information

· Aquatic toxicity:			
CAS: 1317-65-3 Calcium carbonate			
EC50/72h	>14 mg/l (Desmodesmus subspicatus)		
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)		
LC50/48h	>1000 mg/l (Daphnia magna)		
EC50/48h	>1000 mg/l (Daphnia magna)		
12.2 Persi degradabi 12.3 Bioad		No further relevant information available.	
potential		No further relevant information available.	
· 12.4 Mobil		No further relevant information available.	
<ul> <li>12.5 Results of PBT and vPvB assessment</li> </ul>			
· PBT:		Not applicable.	
			(Contd. on page 7)



Page 7/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

(Contd. of page 6)

#### Trade name MC-Floor Easyplan classic

· vPvB:

Not applicable.

 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
   General notes: Do

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation:

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

#### SECTION 14: Transport information · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Void · Class 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. UN "Model Regulation": Void

**SECTION 15: Regulatory information** 

(Contd. on page 8)

GB



Page 8/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.02.2024

Version number 24 (replaces version 23)

Revision: 23.02.2024

#### Trade name MC-Floor Easyplan classic

	(Contd. of page 7)
<ul> <li>15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</li> <li>Poisons Act</li> </ul>	No further relevant information available.
Regulated explosives precur	sors
None of the ingredients is listed	l.
· Regulated poisons	
None of the ingredients is listed	I.
· Reportable explosives precu	rsors
None of the ingredients is listed	l.
· Reportable poisons	
None of the ingredients is listed	l.
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

,	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3