

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name MC-Injekt 2700 - Komponente B

• CAS Number: 9016-87-9 • EC number: 202-966-0 • Index number: 615-005-01-6

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Injektion

Polyurethane resin

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The substance is classified and labelled according to the GB CLP

regulation.

(Contd. on page 2)



Page 2/9

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 12.08.2023 Printing date 12.08.2023 Version number 23 (replaces version 22)

Trade name MC-Injekt 2700 - Komponente B

· Hazard pictograms

· Signal word Danger

· Hazard-determining

components of labelling: diphenylmethanediisocyanate, isomeres and homologues

H315 Causes skin irritation. · Hazard statements

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated

exposure.

Do not breathe dust/fume/gas/mist/vapours/ · Precautionary statements P260

spray.

Wear protective gloves/protective clothing/eye P280

protection/face protection/hearing protection.

P284 [In case of inadequate ventilation] wear

respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P342+P311 If experiencing respiratory symptoms: Call a

POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· Additional information: Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before

industrial or professional use.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

9016-87-9 diphenylmethanediisocyanate, isomeres and · CAS No. Designation:

homologues

· Identification number(s):

· EC number: 202-966-0

(Contd. on page 3)



Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

(Contd. of page 2)

· *Index number:* 615-005-01-6

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.
 After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately.

· After swallowing Instantly call for doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

· 4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture Can be released in case of fire

Carbon monoxide (CO) Nitrogen oxides (NOx) Hydrogen cyanide (HCN)

Under certain fire conditions, traces of other toxic gases cannot be

excluded.

· 5.3 Advice for firefighters

• Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

Put on breathing apparatus.

· 6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)



Page 4/9

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

· 6.4 Reference to other

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

sections

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 10

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³

Sen; as -NCO

· DNELs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

Inhalative DNEL 0.05 mg/m³ (ArL)

· PNECs

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

PNEC 1 mg/l (Sewage Treatment Plant)

0.1 mg/l (Mew)

1 mg/l (Suw)

PNEC 1 mg/kg dwt (Bod)

· Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 5)



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

(Contd. of page 4)

· 8.2 Exposure controls Appropriate engineering

No further data: see section 7. controls

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment: Respiratory protection is required at inadequately ventilated

> workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.

· Hand protection Conditionally suitable materials for protective gloves; EN 374-3:

Nitrile rubber - NBR: Thickness ≥ 0.35 mm.

Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be

changed immediately. Nitrile rubber, NBR

· Material of gloves

· Penetration time of glove

material

The exact break trough time has to be found out by the

manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

Tightly sealed safety glasses.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Dark brown · Smell: Characteristic · Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range (9016-87-9

diphenylmethanediisocyanate, isomeres and

homologues)

>200 °C · Flash point:

° C · Auto-ignition temperature: 4 0 0 (9016-87-9

diphenylmethanediisocyanate, isomeres and

homologues)

Not determined.

· Viscosity:

200 mPas · dynamic at 20 °C:

(Contd. on page 6)



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

(Contd. of page 5)

· Solubility

· Water: Hydrolized

Not miscible or difficult to mix

Fully miscible

• Steam pressure at 25 °C: 0.0002 h Pa (9016-87-9

diphenylmethanediisocyanate, isomeres and

homologues)

· Density and/or relative density

Density at 20 °C 1.23 g/cm³

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of health

and environment, and on safety.

• Explosive properties: Product is not explosive.

Molecular weight 360 g/mol

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions Reacts with amines

• 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

(Contd. of page 6)

• 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

 Oral
 LD50
 >10000 mg/kg (Rat)

 Dermal
 LD50
 >5000 mg/kg (Kan)

 Inhalative
 LC50/4 h
 ~450 mg/l (Rat)

9016-87-9 diphenylmethanediisocyanate, isomeres and homologues

 Oral
 LD50
 >10000 mg/kg (Rat)

 Dermal
 LD50
 >5000 mg/kg (Rab)

 Inhalative
 LC50/4 h
 ~450 mg/l (Rat)

Skin corrosion/irritation Causes skin irritation.
 Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin

sensitisation May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Suspected of causing cancer.

• Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure May cause damage to organs through prolonged or repeated

exposure.

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential
 12.4 Mobility in soil
 No further relevant information available.
 No further relevant information available.

• 12.5 Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 8)



· vPvB:

Page 8/9

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Revision: 12.08.2023 Version number 23 (replaces version 22)

Trade name MC-Injekt 2700 - Komponente B

Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

SECTION 14: Transport information

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

Empty contaminated packagings thoroughly. They can be recycled · Recommendation:

after thorough and proper cleaning.

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

(Contd. on page 9)



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2023 Version number 23 (replaces version 22) Revision: 12.08.2023

Trade name MC-Injekt 2700 - Komponente B

(Contd. of page 8)

15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data

specification sheet:

Environment protection department.

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

* Data compared to the previous version altered.

GB