

Page 1/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name MC-Montan Shotcrete HA 01

1127 · Article number:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Accelerator

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

regulation.

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Aluminium sulphate, tetradecahydrate

2,2'-iminodiethanol

· Hazard statements H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 1)

• Precautionary statements P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous compo	nents:				
	Aluminium sulphate, tetradecahydrate	30-60%			
EINECS: 233-135-0	Eye Dam. 1, H318				
CAS: 111-42-2	2,2'-iminodiethanol	≥1-<3%			
EINECS: 203-868-0	Repr. 2, H361fd; STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315				
A alalitia a a l imfa assa	Additional information For the wording of the listed beyond abused as a stinut of				

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

After skin contact Instantly wash with water and soap and rinse thoroughly.
 After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately.

• After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

GB



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: No special measures required.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: None.
Storage class 12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs

CAS: 111-42-2 2,2'-iminodiethanol

Oral DNEL 0.06 mg/kg bw/Tag (ArL)
Dermal DNEL 0.13 mg/kg bw/day (ArL)

Inhalative DNEL 1 mg/m³ (ArL)

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 3)

PNECs
CAS: 111-42-2 2,2'-iminodiethanol
PNEC | 100 mg/l (Kla)

0.002 mg/l (Mew)

0.02 mg/l (Freshwater)
PNEC 0.00665 mg/kg dwt (Bod)

0.0092 mg/kg dwt (Sediment)

0.092 mg/kg dwt (Fresh water sediment)

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

· Breathing equipment: In case of brief exposure or low pollution or when application is

performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing

apparatus that is independent of circulating air.

· Hand protection Protective gloves.

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

Breakthrough time: > = 60 min

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection

Not required.

Body protection:

Protective work clothing.

- GE



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: White

· Smell: Characteristic

· Melting point/freezing point: <0 °C

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

Flash point: Not applicable

pH at 20 °C 2.5

Viscosity:

· Kinematic viscosity Not determined. · dvnamic: Not determined.

· Solubility

· Water: Fully miscible

• Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Density and/or relative density

Density at 20 °C 1.42 g/cm³

· 9.2 Other information

· Appearance:

· Form: Suspension

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard classes

· Explosives Void Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void
Void
Void
Void

(Contd. on page 6)



Page 6/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 5)

Desensitised explosives

Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

 LD/LC50 values that are relevant for classificat 	tion	sifica	class	for	relevant	are	that	values	LD/LC50	
--	------	--------	-------	-----	----------	-----	------	--------	---------	--

CAS: 16828.	-12-0 Aluminiu	ım sulnhəta	tetradecahydrate
CAS. IUUZU	- I Z-3 AIUIIIIIIU	III SUIVIIALE.	leliauecalivulale

		•
		>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)

CAS: 111-42-2 2,2'-iminodiethanol

Oral	LD50	300-2000 mg/kg (rat)
	NOAEL	50 mg/kg (rat)

Dermal LD50 12200 mg/kg (rabbit)

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Causes serious eye damage.

• Germ cell mutagenicity
• Carcinogenicity
• Carcinogenicity
• Reproductive toxicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-single exposure
STOT-repeated exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

GB



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 16828-12-9 Aluminium sulphate, tetradecahydrate

LC50/96h >1000 mg/l (Danio rerio) EC50/48h >160 mg/l (Daphnia magna)

CAS: 111-42-2 2,2'-iminodiethanol

EC50/72h 1-10 mg/l (Pseudokirchneriella subcapitata)

LC50/96h >100 mg/l (Pimephales promelas) EC50/48h 10-100 mg/l (Ceriodaphnia dubia)

NOEC 0.1 mg/l (Daphnia magna)

>1 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment
· PBT:
· vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA Void

(Contd. on page 8)



Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 31 (replaces version 30) Revision: 05.04.2024 Printing date 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 7)

		(Contd. of page
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	n g to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

No further relevant information available. substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 9)



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.04.2024 Version number 31 (replaces version 30) Revision: 05.04.2024

Trade name MC-Montan Shotcrete HA 01

(Contd. of page 8)

H361fd Suspected of damaging fertility. Suspected of damaging

the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

· Department issuing data

specification sheet: Environment protection department.

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Repr. 2: Reproductive toxicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.

GB