

Page 1/8

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-PowerFlow 2236
Article number: 1.2 Relevant identified uses of the substance or mixture	3305
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
1.3 Details of the supplier of the	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
	Am Kruppwald 1-8
	D-46238 Bottrop
	Tel.: +49(0)2041-101-0
	Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de
	MC-Bauchemie AG
	Hagackerstr. 10
	CH-8953 Dietikon
	Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR)
	Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

· Hazard statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction.

• Precautionary statements P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

Trade name MC-PowerFlow 2236

	P280	(Contd. of page 1) Wear protective gloves.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P333+P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information: 	Contains bio	ocidal products: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards		, , ,
 Results of PBT and vPvB as 	ssessment	
· PBT:	Not applicat	ble.
· vPvB:	Not applicat	ole.

SECTION 3: Composition/information on ingredients

 CAS No. Designatio Identification number 3.2 Mixtures Description: 		r components.
Dangerous compon	nts:	
EINECS: 247-761-7	-octyl-2H-isothiazol-3-one cute Tox. 3, H301; Acute Tox. 3, H311; Acut l330; Skin Corr. 1, H314; Aquatic Acut M=100); Aquatic Chronic 1, H410 (M=100); A, H317, EUH071 TE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l	te 1, H400

SECTION 4: First aid measures

• 4.1 Description of first aid	l measures	
General information	No special measures required.	
· After inhalation	Void	
 After skin contact 	The product is not skin irritating.	
· After eye contact	Rinse opened eye for several minutes under running water.	
· After swallowing	Rinse out mouth and then drink plenty of water.	
<u> </u>	· · ·	CD

(Contd. on page 3)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

Trade name MC-PowerFlow 2236

(Contd. of page 2)

Page 3/8

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Void
- 5.2 Special hazards arising
- from the substance or
- mixture
- [.] 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
• 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
6.4 Reference to other	
sections	No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Information about protection 	No special measures required.
against explosions and fires:	No special measures required.
 7.2 Conditions for safe storag Storage Requirements to be met by 	e, including any incompatibilities
storerooms and containers: Information about storage in	No special requirements.
one common storage facility: Further information about	Not required.

storage conditions: None. • Storage class 12

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
 Components with critical
 values that require
 monitoring at the workplace

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.



Page 4/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

Trade name MC-PowerFlow 2236

· Eye/face protection	Not required.
 Penetration time of glove material 	
· Material of gloves	- '
· Hand protection	Not required.
· Breathing equipment:	handling the chemicals. Not required.
 General protective and hygienic measures 	The usual precautionary measures should be adhered to in
-	res, such as personal protective equipment
 8.2 Exposure controls Appropriate engineering controls 	No further data; see section 7.
· Additional information:	(Contd. of page 3) The lists that were valid during the compilation were used as basis.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemic	al properties
· General Information	
· Colour:	Brown
· Smell:	Characteristic
 Melting point/freezing point: 	<0 °C
Boiling point or initial boiling point and	
boiling range	100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
· Flash point:	Not applicable
· pH at 20 °C	5
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	<100 mPas
· Solubility	
· Water:	Fully miscible
· Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
 Density and/or relative density 	
· Density at 20 °C	1.05 g/cm³
[•] 9.2 Other information	
· Appearance:	
· Form:	Fluid
 Important information on protection of health and environment, and on safety. 	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
	(Contd. on page 5)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

Trade name MC-PowerFlow 2236

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values th	hat are relevant for classification:	
CAS: 26	530-20-1 2	2-octyl-2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
			(Contd. on page 6)

Page 5/8

- GB



Page 6/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

Trade name MC-PowerFlow 2236

		(Contd. of page	e 5)
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
· Skin corr	osion/irrit	ation Based on available data, the classification criteria are not met.	
· Respirato	ory or skin		
sensitisat	tion	May cause an allergic skin reaction.	
[.] Germ cell	mutagen	<i>icity</i> Based on available data, the classification criteria are not met.	
· Carcinog	enicity	Based on available data, the classification criteria are not met.	
· Reproduc	tive toxic	<i>ity</i> Based on available data, the classification criteria are not met.	
· STOT-sin	gle expos	Based on available data, the classification criteria are not met.	
· STOT-rep	eated exp	bosure Based on available data, the classification criteria are not met.	
· Aspiratio	n hazard	Based on available data, the classification criteria are not met.	
• 11.2 Infor	mation on	n other hazards	
· Endocrin	e disruptii	ng properties	
None of th	e ingredie	nts is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity

CAS. 20530-20-1 2-0Cly1-	2H-isothiazol-3-one
EC50/48h 0.42 mg/l (Dap	hnien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and	vPvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disruptin	g
properties	The product does not contain substances with endocrine disrupti properties.
12.7 Other adverse effect	
Additional ecological inf	ormation:
General notes:	Do not allow undiluted product or large quantities of it to rea ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Page 7/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

(Contd. of page 6)

Trade name MC-PowerFlow 2236

- · Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordir IMO instruments 	n g to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.
Regulated explosives precurs	ors
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precurs	sors
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
	(Contd. on page 8)

- GB



Page 8/8

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 35 (replaces version 34)

Revision: 09.03.2024

(Contd. of page 7)

Trade name MC-PowerFlow 2236

 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other infor	
	esent knowledge. However, they shall not constitute a guarantee d shall not establish a legally valid contractual relationship.
Relevant phrases	H301 Toxic if swallowed.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
 Abbreviations and acronyms: 	RID: Règlement international concernant le transport des marchandi
	dangereuses par chemin de fer (Regulations Concerning the Internatio Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Danger
	Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazar
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua
	hazard Category 1
• * Data compared to the	hazard – Category 1