

Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

<sup>.</sup> Trade name	MC-PowerFlow 2695
· Article number: · 1.2 Relevant identified uses of the substance or mixture	3306
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
<sup>.</sup> 1.3 Details of the supplier of the	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon
	Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +48612864565

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP

· Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

Hazard statements
 Precautionary statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction.

nts P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

Trade name MC-PowerFlow 2695

	P280	(Contd. of page 1) <i>Wear protective gloves.</i>
	P362+P364	Take off contaminated clothing and wash it before reuse.
		If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
		Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Additional information:</li> </ul>	Contains bio	ocidal products: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards		
<ul> <li>Results of PBT and vPvB a</li> </ul>	issessment	
· PBT:	Not applicab	ble.
· vPvB:	Not applicat	

#### **SECTION 3: Composition/information on ingredients**

<ul> <li>CAS No. Designatio</li> <li>Identification numb</li> <li>3.2 Mixtures</li> </ul>		void Void	
Description:		Mixture consisting of the following components	S.
<ul> <li>Dangerous compor</li> </ul>	nents:		
EINECS: 247-761-7 Acute Tox. H330; Skin Acute 1, (M=100); S ATE: LD50 LD50 LC50		H-isothiazol-3-one x. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, kin Corr. 1, H314; Eye Dam. 1, H318; Aquatic , H400 (M=100); Aquatic Chronic 1, H410 Skin Sens. 1A, H317, EUH071 50 oral: 125 mg/kg 50 dermal: 311 mg/kg 50/4 h inhalative: 0.27 mg/l concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	<i>≥</i> 0.0015-<0.00259

#### **SECTION 4: First aid measures** · 4.1 Description of first aid measures · General information No special measures required. Void · After inhalation The product is not skin irritating. · After skin contact Rinse opened eye for several minutes under running water. · After eye contact Rinse out mouth and then drink plenty of water. · After swallowing · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3) GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

(Contd. of page 2)

Trade name MC-PowerFlow 2695

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

**SECTION 5: Firefighting measures** 

· 5.1 Extinguishing media

· Suitable extinguishing agents Void

- 5.2 Special hazards arising from the substance or mixture · 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

#### **SECTION 6: Accidental release measures**

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
• 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

No dangerous materials are released.

### SECTION 7: Handling and storage

<ul> <li>7.1 Precautions for safe handling</li> <li>Information about protection against explosions and fires:</li> </ul>	No special measures required. No special measures required.
<ul> <li>7.2 Conditions for safe storag</li> <li>Storage</li> <li>Requirements to be met by storerooms and containers:</li> <li>Information about storage in one common storage facility:</li> <li>Further information about storage conditions:</li> <li>Storage class</li> <li>7.3 Specific end use(s)</li> </ul>	ne, including any incompatibilities No special requirements. Not required. None. 12 No further relevant information available.

(Contd. on page 4)

GB

Page 3/8



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

Trade name MC-PowerFlow 2695

(Contd. of page 3)

GB

SECTION 8: Exposure controls/personal protection		
• 8.1 Control parameters • Components with critical values that require		
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
· Additional information:	The lists that were valid during the compilation were used as basis	
8.2 Exposure controls		
Appropriate engineering		
controls	No further data; see section 7.	
	es, such as personal protective equipment	
General protective and		
hygienic measures	The usual precautionary measures should be adhered to i handling the chemicals.	
Breathing equipment:	Not required.	
Hand protection	Not required.	
Material of gloves	-	
Penetration time of glove	-	
Eye/face protection	Safety glasses	

9.1 Information on basic physical and	l chemical properties
General Information	
Colour:	Dark brown
Smell:	Characteristic
Melting point/freezing point:	<0 °C
Boiling point or initial boiling point a	nd
boiling range	100 °C (7732-18-5 water, distilled, conductivity o
	of similar purity)
Flash point:	Not applicable
pH .	Not determined.
, Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity o
	of similar purity)
Density and/or relative density	,
Density at 20 °C	1.05 g/cm³



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

Page 5/8

#### Trade name MC-PowerFlow 2695

		(Contd. of page 4
<sup>•</sup> 9.2 Other information		
· Appearance:		
Form:	Fluid	
· Important information on protection of hea	alth	
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Information with regard to physical haz	ard	
classes		
· Explosives	≥0.0015-<0.0025%	
· Flammable gases	≥0.0015-<0.0025%	
Aerosols	<i>≥</i> 0.0015-<0.0025%	
· Oxidising gases	<i>≥</i> 0.0015-<0.0025%	
<sup>.</sup> Gases under pressure	<i>≥</i> 0.0015-<0.0025%	
Flammable liquids	<i>≥</i> 0.0015-<0.0025%	
Flammable solids	<i>≥</i> 0.0015-<0.0025%	
• Self-reactive substances and mixtures	<i>≥</i> 0.0015-<0.0025%	
· Pyrophoric liquids	<i>≥</i> 0.0015-<0.0025%	
Pyrophoric solids	<i>≥</i> 0.0015-<0.0025%	
• Self-heating substances and mixtures	<i>≥</i> 0.0015-<0.0025%	
<ul> <li>Substances and mixtures, which emit</li> </ul>		
flammable gases in contact with water	<i>≥</i> 0.0015-<0.0025%	
<sup>.</sup> Oxidising liquids	<i>≥</i> 0.0015-<0.0025%	
<sup>.</sup> Oxidising solids	<i>≥</i> 0.0015-<0.0025%	
<sup>·</sup> Organic peroxides	<i>≥</i> 0.0015-<0.0025%	
· Corrosive to metals	<i>≥</i> 0.0015-<0.0025%	
<ul> <li>Desensitised explosives</li> </ul>	<i>≥</i> 0.0015-<0.0025%	

## SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

Trade name MC-PowerFlow 2695

(Contd. of page 5)

Page 6/8

	ricity		Based on available data, the classification criteria are not met.		
.D/LC50	values tha	nt are rele	vant for classification:		
26530-20-	1 2-octyl-	2H-isothia	azol-3-one		
Dral	LD50	125 mg/k	g (ATE)		
		500 mg/k	g (rat)		
Dermal	LD50	311 mg/k			
		>2000 m			
nhalative	I C50/4 h		0.27 mg/l (ATE)		
maiative	2000/411	-			
			0.6 mg/l (rat)		
Skin corrosion/irritation Based on available data, the classification criteria are not met.					
Respiratory or skinsensitisationMay cause an allergic skin reaction.					
			Based on available data, the classification criteria are not met.		
Carcinogenicity		lony	Based on available data, the classification criteria are not met.		
	ctive toxic	itv	Based on available data, the classification criteria are not met.		
	gle expos		Based on available data, the classification criteria are not met.		
	eated expos		Based on available data, the classification criteria are not met.		
		osule			
• Aspiration hazard Based on available data, the classification criteria a • 11.2 Information on other hazards					

12.1 Toxicity	
-	
Aquatic toxicity:	
26530-20-1 2-octyl-2H-iso	thiazol-3-one
EC50/48h 0.42 mg/l (Daph	nien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and w	/PvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	1
properties	The product does not contain substances with endocrine disruptin properties.
	(Contd. on page



Page 7/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

(Contd. of page 6)

Trade name MC-PowerFlow 2695

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods
 Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings: · Recommendation:

Disposal must be made according to official regulations.

#### SECTION 14: Transport information

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.3 Transport hazard class(es)</li> </ul>	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	Νο
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according t IMO instruments</li> </ul>	o Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 8)

GB



Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 18 (replaces version 17)

Revision: 03.06.2023

Trade name MC-PowerFlow 2695

15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
	•
SECTION 16: Other infor	mation
	esent knowledge. However, they shall not constitute a guarantee d shall not establish a legally valid contractual relationship.
Relevant phrases	H301 Toxic if swallowed. H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchand dangereuses par chemin de fer (Regulations Concerning the Internati Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation
	ADR: Accord relational Gwi Aviation Organisation ADR: Accord relation at transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Dange Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemical EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic haza Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqu hazard – Category 1
* Data compared to the	<b>~</b> /
previous version altered.	