

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: 1.4 Emergency telephone	Trade name	MC-PowerFlow 3104
and uses advised against Application of the substance / the mixtureNo further relevant information available.1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:Concrete/Mortar admixtures1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department: 1.4 Emergency telephonemsds@mc-bauchemie.de	1.2 Relevant identified uses	3143
/ the mixtureConcrete/Mortar admixtures1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department: 1.4 Emergency telephonemsds@mc-bauchemie.de	and uses advised against	No further relevant information available.
Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: 1.4 Emergency telephone MC-Bauchemie.de	/ the mixture	Concrete/Mortar admixtures
Manufacturer/Supplier:MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department: 1.4 Emergency telephone	1.3 Details of the supplier of the	he safety data sheet
D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: 1.4 Emergency telephone MC-Bauchemie.de		MC-Bauchemie Müller GmbH & Co. KG
Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department: 1.4 Emergency telephone		
Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department: 1.4 Emergency telephone		
E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: 1.4 Emergency telephone		Tel.: +49(0)2041-101-0
MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		Fax.: +49(0)2041-101-400
Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		E-Mail: info@mc-bauchemie.de
CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		MC-Bauchemie AG
CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		Hagackerstr. 10
Fax : +44-7400533 Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		
Informing department: msds@mc-bauchemie.de 1.4 Emergency telephone		Tel.: +44-7400510
1.4 Emergency telephone		Fax : +44-7400533
		msds@mc-bauchemie.de
		Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +48612864565		

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

[.] 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Warning

· Signal word

 Hazard-determining components of labelling:
 Hazard statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

GB



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

Trade name MC-PowerFlow 3104

. Propositionary statements	P261	(Contd. of page 1) Avoid breathing dust/fume/gas/mist/vapours/spray.
 Precautionary statements 	. =•.	
	P273	Avoid release to the environment.
	P280	Wear protective gloves.
	P333+P313	3 If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information: 	Contains bi	iocidal products: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards		
Results of PBT and vPvB as	sessment	
· PBT:	Not applica	ble
· vPvB:	Not applica	
	Not applica	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• 3.2 Mixtures • Description:	Mixture consisting of the following components.	
· Dangerous compor	nents:	
CAS: 26530-20-1 EINECS: 247-761-7	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥	<i>≥</i> 0.0025-<0.025%

SECTION 4: First aid measures

General information	No special measures required.
· After inhalation	Void
 After skin contact 	The product is not skin irritating.
· After eye contact	Rinse opened eye for several minutes under running water.
• After swallowing	Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.
 4.2 Most important symptom and effects, both acute and 	15
delayed	No further relevant information available.
-	(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

(Contd. of page 2)

Trade name MC-PowerFlow 3104

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Void

- · 5.2 Special hazards arising from the substance or mixture • 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with much water.
6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

No dangerous materials are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required. · Information about protection against explosions and fires: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: No special requirements. Information about storage in one common storage facility: Not required. · Further information about storage conditions: None. · Storage class 12 · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Page 3/8



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

Trade name MC-PowerFlow 3104

(Contd. of page 3)

- GB

SECTION 8: Exposure co	ontrols/personal protection
8.1 Control parameters Components with critical values that require	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
· Additional information:	The lists that were valid during the compilation were used as basis.
8.2 Exposure controls	
 Appropriate engineering controls 	No further data; see section 7.
	es, such as personal protective equipment
· General protective and	
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.
 Breathing equipment: 	Not required.
 Hand protection 	Not required.
 Material of gloves 	-
[.] Penetration time of glove	
material	-
 Eye/face protection 	Safety glasses

9.1 Information on basic physical and	d chemical properties
General Information	
Colour:	Dark brown
Smell:	Characteristic
Melting point/freezing point:	0 °C
Boiling point or initial boiling point a	nd
boiling range	100 °C (7732-18-5 water, distilled, conductivity c of similar purity)
Flash point:	Not applicable
pH at 20 °C	4.3
Viscosity:	
Kinematic viscosity	Not determined.
dynamic at 20 °C:	<100 mPas
Solubility	
Water:	Fully miscible
Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity c of similar purity)
Density and/or relative density	
Density at 20 °C	1.06 g/cm³



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

Page 5/8

Trade name MC-PowerFlow 3104

		(Contd. of page 4
[•] 9.2 Other information		
· Appearance:		
Form:	Fluid	
· Important information on protection of hea	alth	
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Information with regard to physical haz	ard	
classes		
· Explosives	<i>≥</i> 0.0025-<0.025%	
· Flammable gases	<i>≥</i> 0.0025-<0.025%	
Aerosols	<i>≥</i> 0.0025-<0.025%	
· Oxidising gases	<i>≥</i> 0.0025-<0.025%	
[.] Gases under pressure	<i>≥</i> 0.0025-<0.025%	
Flammable liquids	<i>≥</i> 0.0025-<0.025%	
Flammable solids	<i>≥</i> 0.0025-<0.025%	
• Self-reactive substances and mixtures	<i>≥</i> 0.0025-<0.025%	
· Pyrophoric liquids	<i>≥</i> 0.0025-<0.025%	
Pyrophoric solids	<i>≥</i> 0.0025-<0.025%	
Self-heating substances and mixtures	<i>≥</i> 0.0025-<0.025%	
 Substances and mixtures, which emit 		
flammable gases in contact with water	<i>≥</i> 0.0025-<0.025%	
· Oxidising liquids	<i>≥</i> 0.0025-<0.025%	
Oxidising solids	<i>≥</i> 0.0025-<0.025%	
· Organic peroxides	<i>≥</i> 0.0025-<0.025%	
· Corrosive to metals	<i>≥</i> 0.0025-<0.025%	
· Desensitised explosives	<i>≥</i> 0.0025-<0.025%	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided:	No decomposition if used according to specifications.
 10.3 Possibility of hazardous 	
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

Trade name MC-PowerFlow 3104

(Contd. of page 5)

Page 6/8

Acute tox	icity		Based on available data, the classification criteria are not met.
D/LC50	values tha	t are rele	vant for classification:
26530-20-	1 2-octyl-	2H-isothia	azol-3-one
Oral	LD50	125 mg/k	rg (ATE)
		500 mg/k	rg (rat)
Dermal	LD50	311 mg/k	
		>2000 m	
nhalative	I C50/4 h		,
Inhalative LC50/4 h 0.27 mg/l (0.6 mg/l (r		-	
			Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation May cause an allergic skin reaction.			
		icitv	Based on available data, the classification criteria are not met.
Carcinogenicity		, only	Based on available data, the classification criteria are not met.
Reproductive toxicity		itv	Based on available data, the classification criteria are not met.
STOT-single exposure			Based on available data, the classification criteria are not met.
			Based on available data, the classification criteria are not met.
Aspiration hazard		osurc	Based on available data, the classification criteria are not met.
11.2 Information on other hazards			

SECTION 12: Ecologi	car mormation
12.1 Toxicity	
Aquatic toxicity:	
26530-20-1 2-octyl-2H-iso	thiazol-3-one
EC50/48h 0.42 mg/l (Daph	nien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and v	PvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	1
properties	The product does not contain substances with endocrine disruptin properties.
	(Contd. on page



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

(Contd. of page 6)

Trade name MC-PowerFlow 3104

· 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment method · Recommendation	Is Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: Recommended cleaning 	Disposal must be made according to official regulations.
agent:	Water, if necessary with cleaning agent.

SECTION 14: Transport information	tion
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

(Contd. on page 8)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.06.2023

Version number 20 (replaces version 19)

Revision: 03.06.2023

Trade name MC-PowerFlow 3104

(Contd. of page 7)

Page 8/8

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available.
 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

·	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.
• Abbreviations and acronyms:	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
previous version altered.	

GB -