

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	MC-PowerFlow 5695
 Article number: 1.2 Relevant identified uses of the substance or mixture 	3637
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
• 1.3 Details of the supplier of t	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP
- · Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

· Hazard statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction.

• Precautionary statements P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

Trade name MC-PowerFlow 5695

	D000	(Contd. of page 1)
		ctive gloves.
	P362+P364 Take off c reuse.	ontaminated clothing and wash it before
	P333+P313 If skin irrita attention.	ation or rash occurs: Get medical advice/
	P321 Specific tre	atment (see on this label).
	P501 Dispose o	f contents/container in accordance with all/national/international regulations.
 Additional information: 	Contains biocidal produ	cts: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards	p	···· - · · · · · · · · · · · · · · · ·
 Results of PBT and vPvB a 	sessment	
· PBT:	Not applicable.	
vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

 CAS No. Designation Identification numb 3.2 Mixtures 		void Void	
Description:		Mixture consisting of the following components	S.
Dangerous compor	ents:		
EINECS: 247-761-7	Acute Tox. H330; Skii (M=100); A 1A, H317, E ATE: LD50	isothiazol-3-one 3, H301; Acute Tox. 3, H311; Acute Tox. 2, n Corr. 1, H314; Aquatic Acute 1, H400 quatic Chronic 1, H410 (M=100); Skin Sens. EUH071 oral: 125 mg/kg dermal: 311 mg/kg /4 h inhalative: 0.27 mg/l	<i>≥</i> 0.0015-<0.0025%

SECTION 4: First aid measures

· General information	No special measures required.	
After inhalation	Void	
After skin contact	The product is not skin irritating.	
After eye contact	Rinse opened eye for several minutes under running water.	
After swallowing	Rinse out mouth and then drink plenty of water.	

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

Trade name MC-PowerFlow 5695

(Contd. of page 2)

Page 3/8

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Void
- 5.2 Special hazards arising
- from the substance or
- mixture
- 5.3 Advice for firefighters • Protective equipment:
 - No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
6.4 Reference to other	
sections	No dangerous materials are released.

No further relevant information available.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Information about protection 	No special measures required.
against explosions and fires:	No special measures required.
 7.2 Conditions for safe storag Storage Requirements to be met by 	e, including any incompatibilities
storerooms and containers: Information about storage in	No special requirements.
one common storage facility: Further information about	Not required.

storage conditions: None. • Storage class 12

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
 Components with critical
 values that require
 monitoring at the workplace

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version number 20 (replaces version 19) Revision: 19.01.2024 Trade name MC-PowerFlow 5695 (Contd. of page 3) · Additional information: The lists that were valid during the compilation were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data: see section 7. · Individual protection measures, such as personal protective equipment · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. · Breathing equipment: Not required. · Hand protection Not required. · Material of gloves · Penetration time of glove material Not required. · Eye/face protection

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties · General Information · Colour: Dark brown · Smell: Characteristic · Melting point/freezing point: <0 °C · Boiling point or initial boiling point and boiling range 100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity) · Flash point: Not applicable Not determined. · pH Viscosity: Kinematic viscosity Not determined. · dynamic: Not determined. Solubility · Water: Fully miscible 23 hPa (CAS: 7732-18-5 water, distilled, Steam pressure at 20 °C: conductivity or of similar purity) · Density and/or relative density · Density at 20 °C 1.03 g/cm3 • 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive. (Contd. on page 5) GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

Trade name MC-PowerFlow 5695

		(Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

 11.1 Information on hazard classes as defined 	ned in Regulation (EC) No 1272/2008
---	-------------------------------------

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values th	at are relevant for classification:	
CAS: 26	530-20-1 2	-octyl-2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
			(Contd. on page 6)
			GB

Page 5/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

Page 6/8

Trade name MC-PowerFlow 5695

		(Contd. of page	5)
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
· Skin corr	osion/irrita	ation Based on available data, the classification criteria are not met.	_
Respirato			
sensitisat		May cause an allergic skin reaction.	
[.] Germ cell	mutagen		
· Carcinog	enicity	Based on available data, the classification criteria are not met.	
Reproduc	tive toxic	ity Based on available data, the classification criteria are not met.	
STOT-sin	gle expos	Based on available data, the classification criteria are not met.	
· STOT-rep	eated exp	Dosure Based on available data, the classification criteria are not met.	
Aspiratio	n hazard	Based on available data, the classification criteria are not met.	
• 11.2 Infor	mation on	n other hazards	
· Endocrin	e disruptiı	ng properties	
None of th	e ingredie	nts is listed.	

SECTION 12: Ecological information

· 12.1 Toxicity

CAS: 26530-20-1 2-octyl-	2H-isothiazol-3-one
EC50/48h 0.42 mg/l (Dapl	hnien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and	vPvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disruptin	
properties	The product does not contain substances with endocrine disrupti properties.
12.7 Other adverse effect	
Additional ecological inf	ormation:
General notes:	Do not allow undiluted product or large quantities of it to rea ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024

Version number 20 (replaces version 19)

Revision: 19.01.2024

(Contd. of page 6)

Trade name MC-PowerFlow 5695

- · Uncleaned packagings:
- Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information	n
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.
Regulated explosives precurs	ors
None of the ingredients is listed.	
· Regulated poisons	
None of the ingredients is listed.	
· Reportable explosives precur	sors
None of the ingredients is listed.	
· Reportable poisons	
None of the ingredients is listed.	
	(Contd. on page 8)

Page 7/8

- GB



*

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.01.2024 Version

Version number 20 (replaces version 19)

Revision: 19.01.2024

Trade name MC-PowerFlow 5695

15.2 Chemical safety assessment:	(Contd. of page A Chemical Safety Assessment has not been carried out.
SECTION 16: Other info	
	present knowledge. However, they shall not constitute a guarantee and shall not establish a legally valid contractual relationship.
Relevant phrases	H301 Toxic if swallowed.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
· Department issuing data	
specification sheet:	Environment protection department. s: RID: Règlement international concernant le transport des marchandi
	dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazar Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqu
* Data compared to the	hazard – Category 1
 * Data compared to the previous version altered. 	