

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier			
· Trade name	MC-TechniFlow 92		
 Article number: 1.2 Relevant identified uses of the substance or mixture 	2716		
and uses advised against • Application of the substance	No further relevant information available.		
/ the mixture	Concrete/Mortar admixtures		
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533		
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de		
number.	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)		

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements
 Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Warning

· Signal word

 Hazard-determining components of labelling:
 Hazard statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

- GB



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

		(Contd. of page 1)
 Precautionary statements 	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
-	P273	Avoid release to the environment.
	P280	Wear protective gloves.
	P333+P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
 Additional information: 	Contains bi	ocidal products: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards		
Results of PBT and vPvB as	sessment	
· PBT:	Not applica	hle
· vPvB:	Not applica	
	i vot applica	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description:	Mixture consisting of the following components.				
[.] Dangerous compo	· Dangerous components:				
CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0025-<0.025%			
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg				

Specific concentration limit: Skin Sens. 1A; H317: C ≥

Additional information For the wording of the listed hazard phrases refer to section 16.

0.0015 %

SECTION 4: First aid measures

 4.1 Description of first aid measures 		
General information	No special measures required.	
· After inhalation	Supply fresh air; consult doctor	

in case of symptoms. The product is not skin irritating. · After skin contact

LC50/4 h inhalative: 0.27 mg/l

- Rinse opened eye for several minutes under running water. · After eye contact · After swallowing
 - In case of persistent symptoms consult doctor.

(Contd. on page 3)

GB



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
 Protective equipment:

No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Not required.
 6.2 Environmental precautions: Dilute with much water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 6.4 Reference to other sections No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Information about protection against explosions and fires: 	No special measures required. No special measures required.	
 7.2 Conditions for safe storag Storage Requirements to be met by storerooms and containers: Information about storage in one common storage facility: Further information about storage conditions: Storage class 		

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection		
 8.1 Control parameters Components with critical values that require monitoring at the workplace: 	The product does not contain any relevant quantities of materials	
monitoring at the workplace.	with critical values that have to be monitored at the workplace.	
· Additional information:	The lists that were valid during the compilation were used as basis.	
8.2 Exposure controls		
· Appropriate engineering		
controls	No further data; see section 7.	
	es, such as personal protective equipment	
General protective and		
hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals.	
· Breathing equipment:	Not required.	
· Hand protection	Not required.	
• Material of gloves	-	
· Penetration time of glove		
material	-	
 Eye/face protection 	Not required.	

SECTION 9: Physical and chem	ical properties	
9.1 Information on basic physical and	chemical properties	
· General Information		
· Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point an	nd in the second s	
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	6.5	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 ĥPa	
Density and/or relative density		
Density at 20 °C	1.1 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
		(Contd. on page



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Page 5/9

Trade name MC-TechniFlow 92

		(Contd. of pag
Important information on protection of hea and environment, and on safety.	alth	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
• Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
• Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided:	No decomposition if used according to specifications.
 10.3 Possibility of hazardous reactions 	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
 10.5 Incompatible materials: 	No further relevant information available.
 10.6 Hazardous decomposition products: 	No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Page 6/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23) Revision: 09.03.2024

Trade name MC-TechniFlow 92

CAS: 265	30-20-1 2-	octyl-2H	-isothiazol-3-one
Oral	LD50	125 mg/	kg (ATE)
		500 mg/	'kg (rat)
Dermal	LD50	311 mg/	kg (ATE)
		>2000 n	ng/kg (rat)
Inhalative	LC50/4 h		
		0.6 mg/l	
Skin corr	osion/irrit	ation	Based on available data, the classification criteria are not met.
Respirato	ory or skin		
sensitisa	tion		May cause an allergic skin reaction.
Germ cell	l mutagen	icity	Based on available data, the classification criteria are not met.
Carcinog	enicity		Based on available data, the classification criteria are not met.
Reproduc	ctive toxic	ity	Based on available data, the classification criteria are not met.
STOT-sin	gle expos	ure	Based on available data, the classification criteria are not met.
STOT-repeated exposure		osure	Based on available data, the classification criteria are not met.
· Aspiration hazard			Based on available data, the classification criteria are not met.
	mation or	other h	azards

SECTION 12: Ecological information

· 12.1 Toxicity	
· Aquatic toxicity:	
CAS: 26530-20-1 2-octyl-	2H-isothiazol-3-one
EC50/48h 0.42 mg/l (Dap	hnien)
12.2 Persistence and	
degradability	No further relevant information available.
 12.3 Bioaccumulative 	
potential	No further relevant information available.
 12.4 Mobility in soil 	No further relevant information available.
12.5 Results of PBT and	vPvB assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
• 12.6 Endocrine disruptin	g
properties	The product does not contain substances with endocrine disrupting properties.
· 12.7 Other adverse effec	ts
· Additional ecological inf	ormation:
· General notes:	Do not allow product to reach ground water, water bodies or sewage system.
	(Contd. on page 7)
	GB



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

(Contd. of page 6) Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

 • Recommendation
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

 • Uncleaned packagings:
 • Recommendation:

 • Disposal must be made according to official regulations.

 Recommended cleaning agent:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture

No further relevant information available.

(Contd. on page 8)

⁻ GB



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

Regulated explosives pl	acureore .
None of the ingredients is	
•	iisteu.
Regulated poisons	
None of the ingredients is	listed.
Reportable explosives p	precursors
None of the ingredients is	listed.
Reportable poisons	
None of the ingredients is	listed.
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract.
· Department issuing data	
specification sheet:	Environment protection department.
• Abbreviations and acronyms:	 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A
	(Contd. on page 9)

Page 8/9



Page 9/9

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 09.03.2024

Version number 24 (replaces version 23)

Revision: 09.03.2024

Trade name MC-TechniFlow 92

(Contd. of page 8) Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

 * Data compared to the previous version altered.