



BE SURE. BUILD SURE.

Page 1/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Muraplast FK 44**

Article number: 260

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Concrete/Mortar admixtures

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

Informing department: msds@mc-bauchemie.de

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

##### Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS07

##### Signal word

Warning

##### Hazard-determining

##### components of labelling:

2-octyl-2H-isothiazol-3-one  
triisobutyl phosphate

##### Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)

GB



BE SURE. BUILD SURE.

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

**Trade name Muraplast FK 44**

(Contd. of page 1)

- **Precautionary statements**
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
  - P280 Wear protective gloves.
  - P362+P364 Take off contaminated clothing and wash it before reuse.
  - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
  - P321 Specific treatment (see on this label).
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:** Contains biocidal products: 2-octyl-2H-isothiazol-3-one
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures** Naphthalinsulfonsäurepolykondensat in wäßriger Lösung.
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

|                                      |  |                  |
|--------------------------------------|--|------------------|
| CAS: 126-71-6<br>EINECS: 204-798-3   | triisobutyl phosphate<br>Skin Sens. 1, H317  | ≥0.1-<0.5%       |
| CAS: 26530-20-1<br>EINECS: 247-761-7 | 2-octyl-2H-isothiazol-3-one<br>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071<br>ATE: LD50 oral: 125 mg/kg<br>LD50 dermal: 311 mg/kg<br>LC50/4 h inhalative: 0.27 mg/l<br>Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 % | ≥0.0015-<0.0025% |

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Void
- **After skin contact** The product is not skin irritating.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.

GB

(Contd. on page 3)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 2)

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Void
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous materials are released.

\* **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12

GB

(Contd. on page 4)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 3)

#### SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Components with critical values that require

**monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**CAS: 126-71-6 triisobutyl phosphate**

|            |      |                            |
|------------|------|----------------------------|
| Oral       | DNEL | 2.13 mg/kg bw/Tag (ArL)    |
| Dermal     | DNEL | 4.25 mg/kg bw/day (ArL)    |
| Inhalative | DNEL | 50 mg/m <sup>3</sup> (ArL) |

· **PNECs**

**CAS: 126-71-6 triisobutyl phosphate**

|      |                                       |
|------|---------------------------------------|
| PNEC | 3.72 mg/l (Kla)                       |
|      | 0.0011 mg/l (Mew)                     |
|      | 0.011 mg/l (Freshwater)               |
| PNEC | 0.308 mg/kg dwt (Bod)                 |
|      | 0.158 mg/kg dwt (Sediment)            |
|      | 1.58 mg/kg dwt (Fresh water sediment) |

· **Additional information:** The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

- **Appropriate engineering controls**

No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

- **Breathing equipment:**

Not required.

- **Hand protection**

Protective gloves.

- **Material of gloves**

Natural rubber, NR

Nitrile rubber, NBR

- **Penetration time of glove material**

-

- **Eye/face protection**

Not required.

- **Body protection:**

Impervious protective clothing

#### SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- **General Information**

- **Colour:**

Dark brown

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 4)

|   |   |
|---|---|
| · <b>Smell:</b>   | Characteristic  |
| · <b>Melting point/freezing point:</b>                            | Not determined<br>Not applicable  |
| · <b>Boiling point or initial boiling point and boiling range</b> | 100 °C (CAS: 9084-06-4 Naphthalene sulfonic acid, polymer with formaldehyde, sodium salt) |
| · <b>Flash point:</b>   | Not applicable  |
| · <b>pH at 20 °C</b>  | 8   |
| · <b>Viscosity:</b>   |   |
| · <b>Kinematic viscosity at 20 °C</b>                             | 14 s (DIN 53211/4)  |
| · <b>dynamic:</b>   | Not determined.   |
| · <b>Solubility</b>   |   |
| · <b>Water:</b>   | Fully miscible  |
| · <b>Steam pressure at 20 °C:</b>                                 | 23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)               |
| · <b>Density and/or relative density</b>                          |   |
| · <b>Density at 20 °C</b>   | 1.15 g/cm <sup>3</sup>  |

### 9.2 Other information

|  |                              |
|--|------------------------------|
| · <b>Appearance:</b>   |                              |
| · <b>Form:</b>   | Fluid                        |
| · <b>Important information on protection of health and environment, and on safety.</b> |                              |
| · <b>Self-inflammability:</b>  | Product is not selfigniting. |
| · <b>Explosive properties:</b>   | Product is not explosive.    |

### Information with regard to physical hazard classes

|  |      |
|--|------|
| · <b>Explosives</b>  | Void |
| · <b>Flammable gases</b>   | Void |
| · <b>Aerosols</b>  | Void |
| · <b>Oxidising gases</b>   | Void |
| · <b>Gases under pressure</b>  | Void |
| · <b>Flammable liquids</b>   | Void |
| · <b>Flammable solids</b>  | Void |
| · <b>Self-reactive substances and mixtures</b>                                     | Void |
| · <b>Pyrophoric liquids</b>  | Void |
| · <b>Pyrophoric solids</b>   | Void |
| · <b>Self-heating substances and mixtures</b>                                      | Void |
| · <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| · <b>Oxidising liquids</b>   | Void |
| · <b>Oxidising solids</b>  | Void |
| · <b>Organic peroxides</b>   | Void |
| · <b>Corrosive to metals</b>   | Void |
| · <b>Desensitised explosives</b>   | Void |

GB

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 5)

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

#### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**CAS: 126-71-6 triisobutyl phosphate**

|        |      |                      |
|--------|------|----------------------|
| Oral   | LD50 | >5000 mg/kg (rat)    |
| Dermal | LD50 | >5000 mg/kg (rabbit) |

**CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one**

|            |          |                                      |
|------------|----------|--------------------------------------|
| Oral       | LD50     | 125 mg/kg (ATE)<br>500 mg/kg (rat)   |
| Dermal     | LD50     | 311 mg/kg (ATE)<br>>2000 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.27 mg/l (ATE)<br>0.6 mg/l (rat)    |

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

GB

(Contd. on page 7)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

**Trade name Muraplast FK 44**

(Contd. of page 6)

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 126-71-6 triisobutyl phosphate**

|          |  |
|----------|--|
| EC50/24h | 10-100 mg/l ( <i>Daphnia magna</i> )           |
| EC50/72h | 10-100 mg/l ( <i>Scenedesmus subspicatus</i> ) |
| LC50/96h | >100 mg/l ( <i>Oncorhynchus mykiss</i> )       |
|          | 10-100 mg/l ( <i>Leucidus idus</i> )           |
| EC50     | >100 mg/l ( <i>Pseudomonas putida</i> )        |
| NOEC     | 37 mg/l (BEL)                                  |

**CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one**

|          |                               |
|----------|-------------------------------|
| EC50/48h | 0.42 mg/l ( <i>Daphnien</i> ) |
|----------|-------------------------------|

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

· **12.4 Mobility in soil**

No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

Not applicable.

· **vPvB:**

Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:**

Disposal must be made according to official regulations.

· **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

GB

(Contd. on page 8)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 7)

**SECTION 14: Transport information**

|  |  |
|--|--|
| · 14.1 UN number or ID number<br>· ADR, ADN, IMDG, IATA                | Void   |
| · 14.2 UN proper shipping name<br>· ADR, ADN, IMDG, IATA               | Void   |
| · 14.3 Transport hazard class(es)<br>· ADR, ADN, IMDG, IATA<br>· Class | Void   |
| · 14.4 Packing group<br>· ADR, IMDG, IATA                              | Void   |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                   | No   |
| · 14.6 Special precautions for user                                    | Not applicable.                                      |
| · 14.7 Maritime transport in bulk according to IMO instruments         | Not applicable.                                      |
| · Transport/Additional information:                                    | Not dangerous according to the above specifications. |
| · UN "Model Regulation":   | Void   |

**SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture  
No further relevant information available.

· Poisons Act

· Regulated explosives precursors  
None of the ingredients is listed.

· Regulated poisons  
None of the ingredients is listed.

· Reportable explosives precursors  
None of the ingredients is listed.

· Reportable poisons  
None of the ingredients is listed.

· 15.2 Chemical safety assessment:  
A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)





BE SURE. BUILD SURE.

Page 9/9

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024

Version number 23 (replaces version 22)

Revision: 17.02.2024

Trade name Muraplast FK 44

(Contd. of page 8)

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

Environment protection department.

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
ATE: Acute toxicity estimate values  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1: Skin corrosion/irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· \* **Data compared to the previous version altered.**

GB