

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Muraplast FK 63.10
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	1738 No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
• 1.3 Details of the supplier of t	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone</li> </ul>	msds@mc-bauchemie.de
number:	Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to
  - **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word

· Hazard-determining

components of labelling:

Hazard statements
 Precautionary statements

2-octyl-2H-isothiazol-3-one H317 May cause an allergic skin reaction.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

(Contd. on page 2)



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

Trade name Muraplast FK 63.10

		(Contd. of page 1)
	P280 Wear prote	ective gloves.
	P362+P364 Take off or reuse.	contaminated clothing and wash it before
	P333+P313 If skin irrit attention.	ation or rash occurs: Get medical advice/
	P321 Specific tre	eatment (see on this label).
	P501 Dispose d	of contents/container in accordance with nal/national/international regulations.
<ul> <li>Additional information:</li> </ul>	Contains biocidal produ	ucts: 2-octyl-2H-isothiazol-3-one
· 2.3 Other hazards	,	,
· Results of PBT and vPvB a	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

### **SECTION 3: Composition/information on ingredients**

<sup>.</sup> 3.2 Mixtures

	· 3.2 Mixtures · Description:	Mixture consisting of the following components	5.
Γ	· Dangerous compo	nents:	
	CAS: 26530-20-1	2-octyl-2H-isothiazol-3-one	<i>≥</i> 0.0015-<0.0025%
	EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 ( $M$ =100); Aquatic Chronic 1, H410 ( $M$ =100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	

# SECTION 4: First aid measures

• 4.1 Description of first aid measures

General information	No special measures required.
<ul> <li>After inhalation</li> </ul>	Supply fresh air.
<ul> <li>After skin contact</li> </ul>	The product is not skin irritating.
· After eye contact	Rinse opened eye for several minutes under running water.
· After swallowing	Rinse out mouth and then drink plenty of water.
-	Seek medical treatment.

# SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

GB



Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

(Contd. of page 2)

Page 3/8

Trade name Muraplast FK 63.10

 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

• Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and emergency procedures
 6.2 Environmental

Dilute with much water.

Not required.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

precautions:

No dangerous materials are released.

# SECTION 7: Handling and storage

 7.1 Precautions for safe handling
 Information about protection against explosions and fires: No special measures required.

 $\cdot$  7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by
- storerooms and containers: No special requirements.
- one common storage facility: Not required.
- Further information about storage conditions: None. Storage class 12

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters
 Components with critical values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. The lists that were valid during the compilation were used as basis. (Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

Trade name Muraplast FK 63.10

(Contd. of page 3)
No further data; see section 7.
es, such as personal protective equipment
The usual precautionary measures should be adhered to in handling the chemicals.
Not required.
Protective gloves.
Natural rubber, NR
Nitrile rubber, NBR
Breakthrough time: > = 480 min
The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Not required.
Light weight protective clothing

9.1 Information on basic physical a	nd chemical properties	
General Information		
Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point	and	
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	4	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C	1.02 g/cm <sup>3</sup>	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection	n of health	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	

GB



Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

Trade name Muraplast FK 63.10

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition (	No further relevant information available.
<ul> <li>Thermal decomposition / conditions to be avoided:</li> <li>10.3 Possibility of hazardous</li> </ul>	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:			
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one			
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
			(Contd. on page 6)
			GB

Page 5/8



Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

Page 6/8

#### Trade name Muraplast FK 63.10

		(Contd. of page 5)	
		>2000 mg/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
		0.6 mg/l (rat)	
· Skin corr	osion/irrit	ation Based on available data, the classification criteria are not met.	
<sup>.</sup> Respirato	ory or skin		
sensitisat	tion	May cause an allergic skin reaction.	
<sup>.</sup> Germ cell	mutagen	<i>icity</i> Based on available data, the classification criteria are not met.	
· Carcinog		Based on available data, the classification criteria are not met.	
· Reproduc			
· STOT-sin			
· STOT-rep			
<ul> <li>Aspiration hazard</li> </ul>		Based on available data, the classification criteria are not met.	
• 11.2 Infor	· 11.2 Information on other hazards		
· Endocrine	e disruptii	ng properties	
None of th	None of the ingredients is listed.		

### SECTION 12: Ecological information

· 12.1 Toxicity

CAS: 26530-20-1 2-octy	I-2H-isothiazol-3-one
EC50/48h 0.42 mg/l (Da	phnien)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and	d vPvB assessment
PBT:	Not applicable.
· vPvB:	Not applicable.
12.6 Endocrine disrupti	ing
properties .	The product does not contain substances with endocrine disrupti
	properties.
12.7 Other adverse effe	cts
Additional ecological in	nformation:
General notes:	Do not allow product to reach ground water, water bodies
	sewage system.
	Danger to drinking water if even small quantities leak into soil.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB



Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

(Contd. of page 6)

Page 7/8

Trade name Muraplast FK 63.10

Uncleaned packagings:
 Recommendation:

Disposal must be made according to official regulations.

 Recommended cleaning agent:

Water, if necessary with cleaning agent.

### **SECTION 14: Transport information**

<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according IMO instruments</li> </ul>	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available.
 Poisons Act
 Regulated explosives precursors
 None of the ingredients is listed.
 Regulated poisons None of the ingredients is listed.
 Reportable explosives precursors None of the ingredients is listed.
 (Contd. on page 8)



Printing date 24.02.2024

Version number 25 (replaces version 24)

Revision: 24.02.2024

Trade name Muraplast FK 63.10

(Contd. of page 7)

Page 8/8

Reportable poiso	ns
------------------	----

None of the ingredients is listed.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	<ul> <li>H301 Toxic if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H330 Fatal if inhaled.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>EUH071 Corrosive to the respiratory tract.</li> </ul>
<ul> <li>Department issuing data</li> </ul>	
	Environment exclassion dependences
specification sheet:	Environment protection department.
· Abbreviations and acronyms:	<ul> <li>RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)</li> <li>ICAO: International Civil Aviation Organisation</li> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>ATE: Acute toxicity estimate values</li> <li>Acute Tox. 3: Acute toxicity – Category 3</li> <li>Acute Tox. 2: Acute toxicity – Category 1</li> <li>Skin Sens. 1: Skin sensitisation – Category 1A</li> <li>Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard –</li> </ul>
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
• * Data compared to the	
previous version altered.	