

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier		
· Trade name	Nafufill BC	
Article number: 1.2 Relevant identified uses of the substance or mixture	1189	
and uses advised against • Application of the substance	No further relevant information available.	
/ the mixture	Mineral coating	
[.] 1.3 Details of the supplier of the safety data sheet		
· Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510	
	Fax : +44-7400533	
 Informing department: 1.4 Emergency telephone 	msds@mc-bauchemie.de	
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)	
SECTION 2: Hazarde ido	ntification	

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



Danger

· Signal word

(Contd. on page 2)



Safety data sheet ccording to 1907/2006/EC, Article 31 Page 2/8

		(Contd. of page 1)
Portland cemer	nt	
Fly ash Portland	d cement	
H315 Causes s	kin irritation.	
H318 Causes s	erious eye damage.	
H335 May caus	se respiratory irritation.	
s P261	Avoid breathing dus	t/fume/gas/mist/vapours/
	spray.	
P305+P351+P3	338 IF IN EYES: Rinse	cautiously with water for
		emove contact lenses, in
P310		ISON CENTER/doctor.
P362+P364		ted clothing and wash in
P403+P233	Store in a well-ventila	ated place. Keep container
	tightly closed.	
_		
Not applicable.		
	Fly ash Portlan H315 Causes s H318 Causes s H335 May caus s P261 P305+P351+P3	Fly ash Portland cementH315 Causes skin irritation.H318 Causes serious eye damage.H335 May cause respiratory irritation.sP261Avoid breathing dusspray.P305+P351+P338 IF IN EYES: Rinseseveral minutes. Represent and easy to aP310P321P362+P364P362+P364Take off contaminabefore reuse.P403+P233Store in a well-ventilatightly closed.

 • Dangerous components:
 30-60%

 CAS: 65997-15-1
 Portland cement
 30-60%

 EINECS: 266-043-4
 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335
 >1-<2.5%</td>

 CAS: 68475-76-3
 Fly ash Portland cement
 ≥1-<2.5%</td>

 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335
 >1-<2.5%</td>

 • Additional information
 For the wording of the listed hazard phrases refer to section 16.

 SECTION 4: First aid measures

 • 4.1 Description of first aid measures

 • After inhalation
 Supply fresh air.

 • After skin contact
 Instantly wash with water and soap and rinse thoroughly.

 • After eye contact
 Rinse opened eye for several minutes under running water.

 • After swallowing
 Rinse out mouth and then drink plenty of water.

 • Seek medical treatment.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

Trade name Nafufill BC

(Contd. of page 2)

Page 3/8

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising
- from the substance or
- mixture No further relevant information available. · 5.3 Advice for firefighters
- · Protective equipment:
- No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
 6.3 Methods and material for 	
containment and cleaning up:	: Collect mechanically.
• 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

		в —
· Storage class	13	
storage conditions:	Store in cool, dry conditions in well sealed containers.	
· Further information about		
one common storage facility:	Not required.	
 Information about storage in 	. ,	
 Requirements to be met by storerooms and containers: 	No special requirements.	
· Storage		
-	e, including any incompatibilities	
against explosions and fires:	no special measures required.	
handling Information about protection	Prevent formation of dust.	
· 7.1 Precautions for safe		

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

(Contd. of page 3)

Trade name Nafufill BC

	controls/personal protection
8.1 Control parameters	
-	alues that require monitoring at the workplace:
CAS: 65997-15-1 Portland of	
WEL Long-term value: 10* 4 *inhalable dust **respir	
DNELs	
CAS: 65997-15-1 Portland of	cement
Inhalative DNEL 1 mg/m ³ (A	lrL)
Additional information:	The lists that were valid during the compilation were used as ba
	No further data; see section 7. ures, such as personal protective equipment
General protective and hygienic measures	Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.
Breathing equipment:	 Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on known or anticipated exposure concentrations, the hazards of product and the occupational exposure limits (section 8.1) of respirator in question. Particle filter PP1: Inert substance; P2, P3: Hazardous substant Provide adequate ventilation. This can be achieved by leexhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below occupational exposure limit, provide respiratory protection.
Hand protection	Protective gloves. Selection of the glove material on consideration of the penetra times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmet
Material of gloves	Strong gloves The selection of the suitable gloves does not only depend on material, but also on further marks of quality and varies f manufacturer to manufacturer. As the product is a preparatio several substances, the resistance of the glove material can no calculated in advance and has therefore to be checked prior to application.
Penetration time of glove	-
material	The exact breakthrough time must be obtained from the protect glove manufacturer and must be observed.
Eye/face protection	Not required. (Contd. on pa



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

Trade name Nafufill BC

· Body protection:

Protective work clothing.

(Contd. of page 4)

Page 5/8

9.1 Information on basic physical and che	mical properties	
General Information Colour:	Grey	
Smell:	Odourless	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	Not determined	
Flash point:	Not applicable	
pH	Not applicable.	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Partly soluble	
Steam pressure:	Not applicable.	
Density and/or relative density		
Density	Not determined	
9.2 Other information		
Appearance:		
Form:	Powder	
Important information on protection of hea		
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

(Contd. of page 5)

Trade name Nafufill BC

· Corrosive to metals · Desensitised explosives

Void Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability
 Thermal decomposition /

No further relevant information available.

No decomposition if used according to specifications.

- conditions to be avoided: • 10.3 Possibility of hazardous reactions • 10.4 Conditions to avoid • 10.5 Incompatible materials:
 - No dangerous reactions known No further relevant information available.
 - : No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification:

 CAS: 65997-15-1 Portland cement

 Dermal
 LD50
 2000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 5 mg/l (rat)

 · Skin corrosion/irritation
 Causes skin irritation.

 · Serious eye damage/irritation
 Causes serious eye damage.

 · Germ cell mutagenicity
 Based on available data, the classification criteria are not met.

 · Carcinogenicity
 Based on available data, the classification criteria are not met.

 · Reproductive toxicity
 Based on available data, the classification criteria are not met.
 - STOT-single exposureMay cause respiratory irritation.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.
 - 11.2 Information on other hazards
 - · Endocrine disrupting properties
 - CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

 SECTION 12: Ecological information

 12.1 Toxicity

 Aquatic toxicity:
 No further relevant information available.

 12.2 Persistence and degradability
 No further relevant information available.

 12.3 Bioaccumulative potential
 No further relevant information available.

Page 6/8



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

 Printing date 24.02.2024
 Version number 33 (replaces version 32)
 Revision: 24.02.2024

 Trade name Nafufill BC
 Image: Control of the second second

- *properties* For information on endocrine disrupting properties see section 11. • 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Non contaminated packagings can be used for recycling.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
[.] 14.7 Maritime transport in bulk accordi IMO instruments	i ng to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

(Contd. on page 8)

⁻ GB



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.02.2024

Version number 33 (replaces version 32)

Revision: 24.02.2024

Trade name Nafufill BC

(Contd. of page 7)

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture Poisons Act 	No further relevant information available.
· Regulated explosives precu	rsors
None of the ingredients is liste	d.
· Regulated poisons	
None of the ingredients is liste	d.
· Reportable explosives precu	irsors
None of the ingredients is liste	d.
· Reportable poisons	
None of the ingredients is liste	d.
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
 Department issuing data specification sheet: Abbreviations and acronyms: * Data compared to the previous version altered. 	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VPUB: very Persistent and very Bioaccumulative Skin Irit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3