

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Article number:16291.2 Relevant identified usesno further relevant information available.of the substance or mixtureNo further relevant information available.Application of the substanceCoating1.3 Details of the supplier of the safety data sheetMC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department:msds@mc-bauchemie.de	Trade name	Ortolan Extra 772 KS
and uses advised against No further relevant information available. Application of the substance Coating 1.3 Details of the supplier of the safety data sheet Coating Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de	1.2 Relevant identified uses	1629
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533	and uses advised against	No further relevant information available.
Manufacturer/Supplier:MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department:msds@mc-bauchemie.de	/ the mixture	Coating
Manufacturer/Supplier:MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.deMC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533Informing department:msds@mc-bauchemie.de	1.3 Details of the supplier of the supplier of the supplier of the supplicities of the	he safety data sheet
D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de	Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG
Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		
Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		
E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		
MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		Fax.: +49(0)2041-101-400
Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		E-Mail: info@mc-bauchemie.de
CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		MC-Bauchemie AG
Tel.: +44-7400510 Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		Hagackerstr. 10
Fax : +44-7400533 Informing department: msds@mc-bauchemie.de		CH-8953 Dietikon
Informing department: msds@mc-bauchemie.de		Tel.: +44-7400510
		Fax : +44-7400533
1.4 Emergency leiephone	Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number: Tel.: +49 / (0)700 24112112 (MCR)		Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +1 872 5888271 (MCR)		

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 Void • Hazard pictograms Void

Hazard pictograms	Void
· Signal word	Void

· Hazard statements Void

• Additional information: E

- EUH208 Contains 2-octyl-2H-isothiazol-3-one, reaction mass of: 5chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1). May produce an allergic reaction.
- EUH210 Safety data sheet available on request.

Contains biocidal products: 2-octyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

(Contd. on page 2)

GB



Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

(Contd. of page 1)

Trade name Ortolan Extra 772 KS

· 2.3 Other h	nazards
---------------	---------

- · Results of PBT and vPvB assessment
- · PBT: · vPvB:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture consisting of the following components. · Dangerous components: CAS: 26530-20-1 ≥0.00025-<0.0015% 2-octyl-2H-isothiazol-3-one EINECS: 247-761-7 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 % reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one ≥0.00025-<0.0015% CAS: 55965-84-9 [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % *Eye Irrit.* 2; H319: 0.06 % ≤ C < 0.6 % Śkin Sens. 1A; H317: C ≥ 0.0015 %

l measures
No special measures required.
Supply fresh air.
The product is not skin irritating.
Rinse opened eye for several minutes under running water. symptoms persist, consult doctor.
Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

(Contd. on page 3)

Page 2/9



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or mixture
- 5.3 Advice for firefighters
- · Protective equipment:
- No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
 6.3 Methods and material for 	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Information about protection against explosions and fires: 	No special measures required. No special precautions necessary if used correctly. No special measures required.	
0	e, including any incompatibilities	
one common storage facility: • Further information about storage conditions:	Not required. None.	
· Storage class	12	GB —

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

(Contd. of page 3)

Trade name Ortolan Extra 772 KS

8.1 Control parameters	
 Components with critical values that require 	
	The product does not contain any relevant quantities of materi
monitoring at the workplace.	with critical values that have to be monitored at the workplace.
· Additional information:	The lists that were valid during the compilation were used as bas
· 8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
· Individual protection measure	es, such as personal protective equipment
General protective and	
hygienic measures	The usual precautionary measures should be adhered to
	handling the chemicals.
· Breathing equipment:	Not required.
· Hand protection	Protective gloves.
[.] Material of gloves	Natural rubber, NR
	Nitrile rubber, NBR
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protect
	glove manufacturer and must be observed.
 Eye/face protection 	Not required.
 Body protection: 	Impervious protective clothing
	Protective work clothing.

- *Melting point/freezing point:*
- Boiling point or initial boiling point and boiling range
- · Flash point:
- · pH
- Viscosity:
- Kinematic viscosity
- · dynamic:
- · Solubility
- · Water:
- Steam pressure at 20 °C:

<0 °C

100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity) Not applicable Not determined.

Not determined. Not determined.

Fully miscible 23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)

(Contd. on page 5)

GB



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

	(Contd. of pa	зge
Density and/or relative density		
· Density at 20 °C	1 g/cm³	
9.2 Other information		
· Appearance:		
· Form:	Fluid	
 Important information on protection of heat and environment, and on safety. 	alth	
· Self-inflammability:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive.	
Information with regard to physical haz	· ·	
classes		
· Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability Thermal decomposition / 	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
 10.4 Conditions to avoid 	No further relevant information available.
• 10.5 Incompatible materials:	No further relevant information available.
 10.6 Hazardous decomposition products: 	No dangerous decomposition products known
decomposition products:	No dangerous decomposition products known

(Contd. on page 6)

GB



Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

(Contd. of page 5)

Page 6/9

Acute tox	ricity		asses as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not r	net.
LD/LC50	values tha	t are relev	ant for classification:	
CAS: 265	30-20-1 2-	octyl-2H-is	othiazol-3-one	
Oral LD50 125 mg/kg (A			(ATE)	
		500 mg/kg	r (rat)	
Dermal	LD50	311 mg/kg	(ATE)	
		>2000 mg/	/kg (rat)	
Inhalative	LC50/4 h	0.27 mg/l ((ATE)	
		0.6 mg/l (r		
• •			ss of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 2	47-50
			hyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
Oral LD50 49.6-75 mg			g/kg (rat)	
Dermal LD50 87.12 mg/l			kg (rabbit)	
Inhalative LC50/4 h 0.171 mg/l (rat)				
Skin corr	osion/irrit	ation	Based on available data, the classification criteria are not r	net.
			Based on available data, the classification criteria are not i	net.
Respirato			Deard an evallable data, the classification evitavia are not	
			Based on available data, the classification criteria are not i Based on available data, the classification criteria are not i	
· Germ cell mutagenicity · Carcinogenicity		icity	Based on available data, the classification criteria are not i	
Reproductive toxicity		itv	Based on available data, the classification criteria are not i	
			Based on available data, the classification criteria are not i	
STOT-repeated exposure		osure	Based on available data, the classification criteria are not i	net.
Aspiration			Based on available data, the classification criteria are not i	net.
-		other haz		
	-	ng properti		
CAS. 102	22-01-2 2	2-dibromo-	2-cyanoacetamide	List

· 12.1 Toxicity

· Aquatic toxicity:	
CAS: 26530-20-1 2-octyl-2H-isothiazol-3-one	
EC50/48h 0.42 mg/l (Daphnien)	
CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isot 7] and 2-methyl-2H-isothiazol-3-one [EC no	
LC50/24h 0.19 mg/l (fish)	
EC50/72h 0.027 mg/l (Pseudokirchneriella subcapitata)	
	(Contd. on page 7)

(Contd. on page 7)

GB



Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

			(Contd. of page 6)
LC50/96h	0.19 mg/l (Oncorhyn	chus mykiss)	
LC50/48h	0.28 mg/l (fish)		
EC50/48h	0.16 mg/l (Daphnia n	nagna)	
NOEC	0.02 mg/l (Oncorhyn	chus mykiss)	
	0.00049 mg/l (Ske)		
	0.1 mg/l (Daphnia ma	agna)	
degradabi 12.3 Bioad potential 12.4 Mobil 12.5 Resu PBT: vPvB:	ccumulative	No further relevant information available. No further relevant information available. No further relevant information available. assessment Not applicable. Not applicable.	
properties		For information on endocrine disrupting properties s No further relevant information available.	see section 11.

SECTION 13: Disposal considerations

• 13.1 Waste treatment metho • Recommendation	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Recommended cleaning agent: 	Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
		(Contd. on page 8)

GB



Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

	(Contd. of page 7
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	y to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture • Poisons Act	No further relevant information available.
Regulated explosives precurs	sors
None of the ingredients is listed	
· Regulated poisons	
None of the ingredients is listed	
· Reportable explosives precu	sors
None of the ingredients is listed	•
· Reportable poisons	
None of the ingredients is listed	
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H301 H310 H311 H314 H315 H317 H318 H319 H330 H400	Toxic if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Very toxic to aquatic life.	
	H310 H311 H314 H315 H317 H318 H319 H330	 H310 Fatal in contact with skin. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled.

Page 8/9



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2024

Version number 36 (replaces version 35)

Revision: 22.03.2024

Trade name Ortolan Extra 772 KS

	(Contd. of page H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
•	RID: Règlement international concernant le transport des marchandis
	dangereuses par chemin de fer (Regulations Concerning the Internation
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Dangero
	Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1
	Skin Corr. 1C: Skin corrosion/irritation – Category 1C
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua
* - /	hazard – Category 1
* Data compared to the previous version altered.	