

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name 1.2 Relevant identified uses of the substance or mixture	Oxal Kalkputz
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Ready-mixed mortar dry mortar
1.3 Details of the supplier of t Manufacturer/Supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:

Portland cement calcium dihydroxide

(Contd. on page 2)

GB



Page 2/9

GB

Safety data sheet according to 1907/2006/EC, Article 31

acc	cording to 1907/2	006/EC, Article 31	
Printing date 08.07.2023 V	ersion number 18 (r	eplaces version 17)	Revision: 08.07.2023
Trade name Oxal Kalkputz			
			(Contd. of page 1)
• Hazard statements	H315 Causes sl		
	H318 Causes se	erious eye damage.	
 Precautionary statements 	P280	Wear eye protection /	
	P305+P351+P3	38 IF IN ÉYÉS: Rinse (cautiously with water for
		several minutes. Re	emove contact lenses, in
		present and easy to d	o. Continue rinsing.
	P310	Immediately call a PO	ISON CENTER/doctor.
	P321	Specific treatment (se	e on this label).
	P362+P364		ted clothing and wash it
		before reuse.	5
	P332+P313	If skin irritation occu	urs: Get medical advice
		attention.	
· 2.3 Other hazards			
· Results of PBT and vPvB a	ssessment		
· PBT:	Not applicable.		
· vPvB:	Not applicable.		
	iver applicable.		

SECTION 3: Composition/information on ingredients

 3.1 Substances CAS No. Designatio Identification numb 3.2 Mixtures Description: 		
· Dangerous compor	nents:	
CAS: 65997-15-1	Portland cement	<i>≥</i> 3-<10%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-62-0	calcium dihydroxide	<i>≥</i> 3-<10%
EINECS: 215-137-3	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	

SECTION 4: First aid measures

· General information	No special measures required.	
· After inhalation	Void	
[.] After skin contact	The product is not skin irritating.	
[.] After eye contact	Rinse opened eye for several minutes under running water.	
· After swallowing	Rinse out mouth and then drink plenty of water.	
	In case of persistent symptoms consult doctor.	
 4.2 Most important sympton and effects, both acute and 	ns	
delayed	No further relevant information available.	
2	(Contd. on page	ə 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Trade name Oxal Kalkputz

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Void

- 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required. · 6.2 Environmental precautions: No special measures required. · 6.3 Methods and material for containment and cleaning up: Collect mechanically. · 6.4 Reference to other sections No dangerous materials are released.
- SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Prevent formation of dust. Information about protection against explosions and fires: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: No special requirements. · Information about storage in one common storage facility: Not required. · Further information about storage conditions: None. · Storage class 11 · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

(Contd. of page 2)

Page 3/9



Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Trade name Oxal Kalkputz

(Contd. of page 3) SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Components with critical values that require monitoring at the workplace: 65997-15-1 Portland cement WEL Long-term value: 10* 4** mg/m3 *inhalable dust **respirable dust 1305-62-0 calcium dihydroxide WEL Short-term value: 4* mg/m³ Long-term value: 5 1* mg/m³ *resprable fraction DNELs 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) 1305-62-0 calcium dihydroxide Inhalative DNEL 1 mg/m³ (ArL) · PNECs 1305-62-0 calcium dihydroxide PNEC 3 mg/l (BEL) 0.32 mg/l (Mew) 0.49 mg/l (Suw) PNEC 1080 mg/kg dwt (Bod) The lists that were valid during the compilation were used as basis. · Additional information: · 8.2 Exposure controls · Appropriate engineering controls No further data: see section 7. Individual protection measures, such as personal protective equipment · General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. · Breathing equipment: Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on the known or anticipated exposure concentrations, the hazards of the product and the occupational exposure limits (section 8.1) of the respirator in question. Particle filter PP1: Inert substance; P2, P3: Hazardous substances Provide adequate ventilation. This can be achieved by local exhaust ventilation or general exhaust ventilation. (EN 689 - Methods for determining inhalation exposure) This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below the occupational exposure limit, provide respiratory protection. · Hand protection Protective gloves. (Contd. on page 5) GB



Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023	Version number 18 (replaces version 17)	Revision: 08.07.2023
Trade name Oxal Kalkputz		
· Material of gloves	Selection of the glove material on consid times, rates of diffusion and the degradar After use of gloves apply skin-cleaning a The selection of the suitable gloves doe material, but also on further marks o manufacturer to manufacturer. As the p several substances, the resistance of the calculated in advance and has therefore application.	tion gents and skin cosmetics. es not only depend on the f quality and varies from product is a preparation of e glove material can not be
 Penetration time of glo material 	The exact break trough time has a	
· Eye/face protection	manufacturer of the protective gloves an Safety glasses Tightly sealed safety glasses.	a nas to be observed.
 Body protection: 	Protective work clothing.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chem General Information	nical properties
Colour:	According to product specification
Smell:	Odourless
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	Not determined
Flammability	Product is not inflammable.
Flash point:	Not applicable
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Unsoluble
Steam pressure:	Not applicable.
Density and/or relative density	
Density	Not determined
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of heal	lth
and environment, and on safety.	
Explosive properties:	Product is not explosive.
Information with regard to physical haza	rd
classes	-
Explosives	Void
Flammable gases	Void
-	(Contd. on page



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Page 6/9

Trade name Oxal Kalkputz

		(Contd. of page
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	No dangerous reactions known
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

Acute tox	icity		based on available data, the classification chiefla are not met.
· LD/LC50	values tha	nt are releva	ant for classification:
65997-15-	1 Portland	d cement	
Dermal	LD50	2000 mg/k	g (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)	
1305-62-0	calcium d	dihydroxide)
Oral	LD50	7340 mg/k	g (rat)
 Skin corre Serious e Germ cell Carcinoge Reproduce 	ye damag I mutagen enicity	e/irritation icity	Causes skin irritation. Causes serious eye damage. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. (Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Page 7/9

Trade name Oxal Kalkputz

STOT-single exposure STOT-repeated exposure Aspiration hazard 11.2 Information on other h	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Endocrine disrupting prop	
None of the ingredients is list	
SECTION 12: Ecologic	al information
12.1 Toxicity	
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vP	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	
Additional ecological inform	mation:
General notes:	Not known to be hazardous to water.
	Do not allow undiluted product or large quantities of it to react

SECTION 13: Disposal considerations

 13.1 Waste treatment metho Recommendation 	ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Uncleaned packagings: Recommendation: 	Packaging can be reused or recycled after cleaning.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, İMDG, İATA	Void	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Trade name Oxal Kalkputz

		(Contd. of page 7
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
[.] Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

	_	<u></u>		4 -	_		/	- 4	-		4
				1		Z = 1 =					
<u> </u>	/ —								$\mathbf{U} \mathbf{V}$	forma	

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture
 15.2 Chemical safety assessment:

No further relevant information available.

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
 Department issuing data specification sheet: Abbreviations and acronyms: 	Environment protection department. RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) (Contd. on page 9)

Page 8/9



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.07.2023

Version number 18 (replaces version 17)

Revision: 08.07.2023

Page 9/9

Trade name Oxal Kalkputz

(Contd. of page 8)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 * Data compared to the previous version altered.

GB -