

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

| · 1.1 Product identifier | |
|--|--|
| · Trade name | Oxal VSM WTA |
| Article number: 1.2 Relevant identified uses of the substance or mixture and uses advised against | 1033 No further relevant information available |
| Application of the substance / the mixture | Mineral coating |
| • 1.3 Details of the supplier of t • Manufacturer/Supplier: | he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533 |
| Informing department: 1.4 Emergency telephone number: | msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +48612864565 |
| | |

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

- Labelling according to
- **Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



Danger

· Signal word

 Hazard-determining components of labelling:
 Hazard statements

Portland cement H315 Causes skin irritation. H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Revision: 07.07.2023 Printing date 07.07.2023 Version number 18 (replaces version 17) Trade name Oxal VSM WTA (Contd. of page 1) Wear eye protection / face protection. · Precautionary statements P280 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/ attention. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

· Dangerous components:

CAS: 65997-15-1 Portland cement

EINECS: 266-043-4 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335

• Additional information For the wording of the listed hazard phrases refer to section 16.

- **SECTION 4: First aid measures**
- · 4.1 Description of first aid measures Supply fresh air. · After inhalation · After skin contact Instantly wash with water and soap and rinse thoroughly. Rinse opened eye for several minutes under running water. · After eye contact Seek medical treatment. · After swallowing Rinse out mouth and then drink plenty of water. Seek medical treatment. · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

≥10-<20%

⁻ GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

(Contd. of page 2)

Page 3/8

Trade name Oxal VSM WTA

 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters
 Protective equipment:

nt: No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures
 6.2 Environmental

precautions:

Not required.

No special measures required.

 6.3 Methods and material for containment and cleaning up: Collect mechanically.
 6.4 Reference to other sections
 See Section 7 for info

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling Information about protection | Prevent formation of dust. |
|---|------------------------------------|
| against explosions and fires: | No special measures required. |
| 7.2 Conditions for safe storag Storage | e, including any incompatibilities |

| Requirements to be met by | |
|--|--|
| storerooms and containers: | No special requirements. |
| Information about storage in | |
| one common storage facility: | Not required. |
| • Further information about | |
| storage conditions: | Keep container tightly sealed. |
| · Storage class | 11 |
| • 7.3 Specific end use(s) | No further relevant information available. |

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

65997-15-1 Portland cement

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

Trade name Oxal VSM WTA

| DNELs | (Contd. of page |
|--|---|
| 65997-15-1 Portland cemen | t |
| Inhalative DNEL 1 mg/m ³ (A | - |
| Additional information: | The lists that were valid during the compilation were used as basis |
| | |
| 8.2 Exposure controls | |
| Appropriate engineering controls | No further data: see section 7. |
| | ures, such as personal protective equipment |
| General protective and | |
| hygienic measures | Keep away from foodstuffs, beverages and food. |
| | Instantly remove any soiled and impregnated garments. |
| | Wash hands during breaks and at the end of the work. |
| Proothing ogvinment | Avoid contact with the eyes and skin. |
| Breathing equipment: | Wear respiratory protection in case of insufficient ventilation. The selection of respirators (EN 14387) must be based on th |
| | known or anticipated exposure concentrations, the hazards of th |
| | product and the occupational exposure limits (section 8.1) of th |
| | respirator in question. |
| | Particle filter PP1: Inert substance; P2, P3: Hazardous substances |
| | Provide adequate ventilation. This can be achieved by loc |
| | exhaust ventilation or general exhaust ventilation. |
| | (EN 689 - Methods for determining inhalation exposure) |
| | This applies especially at the mixing or stirring place. If this is not sufficient to keep the concentration below th |
| | occupational exposure limit, provide respiratory protection. |
| Hand protection | Protective gloves. |
| - | Selection of the glove material on consideration of the penetratio |
| | times, rates of diffusion and the degradation |
| | After use of gloves apply skin-cleaning agents and skin cosmetics |
| Material of gloves | Strong gloves |
| | The selection of the suitable gloves does not only depend on the |
| | material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation |
| | several substances, the resistance of the glove material can not b |
| | calculated in advance and has therefore to be checked prior to th |
| | application. |
| Penetration time of glove | |
| material | The exact break trough time has to be found out by th |
| | manufacturer of the protective gloves and has to be observed. |
| Eye/face protection | Safety glasses |
| Body protoction: | Tightly sealed safety glasses. Protective work clothing. |
| Body protection: | |

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

(Contd. of page 4)

Page 5/8

Trade name Oxal VSM WTA

| SECTION 9: Physical and chemical | | |
|--|------------------------------|--|
| 9.1 Information on basic physical and che | mical properties | |
| General Information | 2 | |
| Colour: | Grey | |
| Smell: | Odourless | |
| Melting point/freezing point: | Not determined | |
| Boiling point or initial boiling point and | | |
| boiling range | Not determined | |
| | Not applicable | |
| Flash point: | Not applicable | |
| рН | Not applicable. | |
| Viscosity: | | |
| Kinematic viscosity | Not applicable. | |
| dynamic: | Not applicable. | |
| Solubility | | |
| Water: | Unsoluble | |
| Steam pressure: | Not applicable. | |
| Density and/or relative density | ·· | |
| Density | Not determined | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Powder | |
| Important information on protection of hea | | |
| and environment, and on safety. | - | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Information with regard to physical haz | • | |
| classes | aru | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| | Void | |
| Flammable liquids Flammable solids | Void | |
| Self-reactive substances and mixtures | | |
| | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

(Contd. of page 5)

Page 6/8

Trade name Oxal VSM WTA

Desensitised explosives

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability
 Thermal decomposition /

No further relevant information available.

No further relevant information available.

No further relevant information available.

No decomposition if used according to specifications.

- conditions to be avoided: 10.3 Possibility of hazardous reactions
- 10.4 Conditions to avoid
 10.5 Incompatible materials:

· 10.6 Hazardous

decomposition products:

No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

No dangerous reactions known

· LD/LC50 values that are relevant for classification: 65997-15-1 Portland cement Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat) · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye damage. · Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Aspiration hazard 11.2 Information on other hazards · Endocrine disrupting properties None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

No further relevant information available.

- 12.2 Persistence and degradability
- No further relevant information available.
- · 12.3 Bioaccumulative potential

No further relevant information available.

(Contd. on page 7)

GB



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 07.07.2023

Version number 18 (replaces version 17)

Revision: 07.07.2023

Trade name Oxal VSM WTA

| | (Contd. of page 6) |
|---|--|
| 12.4 Mobility in soil | No further relevant information available. |
| 12.5 Results of PBT and | vPvB assessment |
| · PBT: | Not applicable. |
| · vPvB: | Not applicable. |
| · 12.6 Endocrine disrupting | |
| properties | The product does not contain substances with endocrine disrupting properties. |
| · 12.7 Other adverse effect | |
| · Additional ecological info | ormation: |
| General notes: | Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. |
| | |

SECTION 13: Disposal considerations

| 13.1 Waste treatment method Recommendation | ds Must not be disposed of together with household garbage. Do not allow product to reach sewage system. |
|---|--|
| Uncleaned packagings: Recommendation: | Disposal must be made according to official regulations. |

SECTION 14: Transport information

| 14.1 UN number or ID number ADR, ADN, IMDG, IATA | Void | |
|--|---------------------------|--|
| · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| [•] 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk accord IMO instruments | ing to Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

| Printing date 07.07.2023 | Version number 18 (replaces version 17) | Revision: 07.07.2023 |
|---|--|--|
| Trade name Oxal VSM WTA | | |
| | | (Contd. of page 7 |
| legislation specific for the substance or mixture | | |
| | No further relevant information available. | |
| 15.2 Chemical safety assessment: | A Chemical Safety Assessment has not l | been carried out. |
| SECTION 16: Other in | formation | |
| | ir present knowledge. However, they shall not s and shall not establish a legally valid contrac | |
| · Relevant phrases | H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. | |
| · Department issuing data | | |
| | Environment protection department. ms: RID: Règlement international concernant le dangereuses par chemin de fer (Regulations Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des route (European Agreement Concerning the Inter Goods by Road) IMDG: International Maritime Code for Dangerous IATA: International Air Transport Association GHS: Globally Harmonised System of Classification ELINCS: European Inventory of Existing Commerce ELINCS: European List of Notified Chemical Subsis CAS: Chemical Abstracts Service (division of the A DNEL: Derived No-Effect Level (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – C STOT SE 3: Specific target organ toxicity (single e | Concerning the International marchandises dangereuses pa rnational Carriage of Dangerous Goods on and Labelling of Chemicals cial Chemical Substances tances American Chemical Society) |
| * * Data compared to the | | |